

Germa Flex

ABRASIVE PRODUCTS

Catalog 2015

Metal
INOX

Do cięcia stali
kwasoodpornej

80 m/s

max. 6600



USE SAFETY GUARD


Nie dozwolone szlifowanie czolowe
Nicht zulässig für Schnurperlschleifen
Not to be used for grinding/fettling

T 41

230x1.9x22.2
A46QBF

Art.-No.
GFW 13481

Made for GP



Contents

Abrasive paper	4 - 16
Waterproof abrasive paper	17 - 18
Abrasive screen mesh	19
Abrasive cloth	20 - 32
Flexible sanding sponge block	33 - 34
Abrasive fibre discs	35
Abrasive non-woven	36 - 37
Abrasive flap discs	38 - 39
Abrasive flap wheels	40
Semi-flexible abrasive sanding discs	41
Diamond cutting blades	42 - 44
Grinding cup wheels	45
Cutting and grinding discs for metal and stone	46 - 52
Accessories	53 - 56

T/Red

Abrasive paper rolls



Backing	D - weight paper
Grain	aluminium oxide
Bonding agent	glue
Coating	semi - open



Applications

wood	•
plastic	•
paint / varnish / filler	•

Available grits

16	150 •	800
24	180 •	1000
30	220 •	1200
36 •	240 •	1500
40 •	280	2000
50	320	2500
60 •	360	3000
80 •	400	4000
100 •	500	5000
120 •	600	

Catalog Number	Dimension (mm) <i>width</i>	Grit	Lenght (meters)
TRE 16068	115	36	50
TRE 16047	115	40	50
TRE 16048	115	60	50
TRE 16049	115	80	50
TRE 16050	115	100	50
TRE 16051	115	120	50
TRE 16052	115	150	50
TRE 16053	115	180	50
TRE 16054	115	220	50
TRE 16055	115	240	50



T/Red

Abrasive paper sheets

Backing	D - weight paper
Grain	aluminium oxide
Bonding agent	glue
Coating	semi - open



Applications

wood	•
plastic	•
paint / varnish / filler	•

Available grits

16	150 •	800
24	180 •	1000
30	220 •	1200
36 •	240 •	1500
40 •	280	2000
50	320	2500
60 •	360	3000
80 •	400	4000
100 •	500	5000
120 •	600	


Catalog number	Dimension (mm) <i>width / lenght</i>	Grit	Package (pcs)
TRE 14672	230 x 280	36	50
TRE 14673	230 x 280	40	50
TRE 14674	230 x 280	60	50
TRE 14675	230 x 280	80	50
TRE 14676	230 x 280	100	50
TRE 14677	230 x 280	120	50
TRE 14678	230 x 280	150	50
TRE 14679	230 x 280	180	50
TRE 14680	230 x 280	220	50
TRE 14681	230 x 280	240	50

T/Red

Abrasive velcro discs



Backing	D - weight paper
Grain	aluminium oxide
Bonding agent	glue
Coating	semi - open



Applications

wood	•
plastic	•
paint / varnish / filler	•


Available grits

16	150 •	800
24	180 •	1000
30	220 •	1200
36 •	240 •	1500
40 •	280	2000
50	320	2500
60 •	360	3000
80 •	400	4000
100 •	500	5000
120 •	600	


Catalog number	Dimension (mm) <i>diameter</i>	Holes	Grit	Package (pcs)
TRE 14647	125	without holes	36	50
TRE 14648	125	without holes	40	50
TRE 14649	125	without holes	60	50
TRE 14650	125	without holes	80	50
TRE 14651	125	without holes	100	50
TRE 14652	125	without holes	120	50
TRE 14653	125	without holes	150	50
TRE 14654	125	without holes	180	50
TRE 15775	125	without holes	220	50
TRE 14655	125	without holes	240	50

T/Red

Abrasive velcro discs



Backing	D - weight paper
Grain	aluminium oxide
Bonding agent	glue
Coating	semi - open



Applications

wood	•
plastic	•
paint / varnish / filler	•

Available grits

16	150 •	800
24	180 •	1000
30	220 •	1200
36 •	240 •	1500
40 •	280	2000
50	320	2500
60 •	360	3000
80 •	400	4000
100 •	500	5000
120 •	600	


Catalog number	Dimension (mm) <i>diameter</i>	Holes	Grit	Package (pcs)
TRE 15507	125	8	36	50
TRE 14664	125	8	40	50
TRE 14665	125	8	60	50
TRE 14666	125	8	80	50
TRE 14667	125	8	100	50
TRE 14668	125	8	120	50
TRE 14669	125	8	150	50
TRE 14670	125	8	180	50
TRE 15776	125	8	220	50
TRE 14671	125	8	240	50

T/Red

Abrasive velcro discs



Backing	D - weight paper
Grain	aluminium oxide
Bonding agent	glue
Coating	semi - open



NEW

Applications

wood	•
plastic	•
paint / varnish / filler	•

Available grits

16	150 •	800
24	180 •	1000
30	220 •	1200
36 •	240 •	1500
40 •	280	2000
50	320	2500
60 •	360	3000
80 •	400	4000
100 •	500	5000
120 •	600	

Blister 5 pcs.

Catalog number	Dimension (mm) diameter	Holes	Grit	Package (pcs)
TRE 33413	125	without holes	36	1
TRE 33414	125	without holes	40	1
TRE 33415	125	without holes	60	1
TRE 33416	125	without holes	80	1
TRE 33417	125	without holes	100	1
TRE 33418	125	without holes	120	1
TRE 33419	125	without holes	150	1
TRE 33420	125	without holes	180	1
TRE 33421	125	without holes	220	1
TRE 33422	125	without holes	240	1

T/Red

Abrasive velcro discs



Backing	D - weight paper
Grain	aluminium oxide
Bonding agent	glue
Coating	semi - open



NEW

Applications

wood	•
plastic	•
paint / varnish / filler	•

Available grits

16	150 •	800
24	180 •	1000
30	220 •	1200
36 •	240 •	1500
40 •	280	2000
50	320	2500
60 •	360	3000
80 •	400	4000
100 •	500	5000
120 •	600	

Blister 5 pcs.

Catalog number	Dimension (mm) diameter	Holes	Grit	Package (pcs)
TRE 33423	125	8	36	1
TRE 33424	125	8	40	1
TRE 33425	125	8	60	1
TRE 33426	125	8	80	1
TRE 33427	125	8	100	1
TRE 33428	125	8	120	1
TRE 33429	125	8	150	1
TRE 33430	125	8	180	1
TRE 33431	125	8	220	1
TRE 33432	125	8	240	1

For T/Red - different sizes of rolls, sheets and discs available upon request. Maximum jumboroll height: 690mm.

Minimum order quantity: on asking.

Yellow

Abrasive paper rolls



Backing	D - weight paper
Grain	aluminium oxide
Bonding agent	resin
Coating	semi - open



Applications

wood	•
paint / varnish / filler	•
plastic	•

Available grits

16	150 •	800
24	180 •	1000
30	220 •	1200
36	240 •	1500
40 •	280	2000
50	320 •	2500
60 •	360	3000
80 •	400 •	4000
100 •	500	5000
120 •	600	

Catalog number	Dimension (mm) width	Grit	Package (meters)
YEL 14983	115	40	50
YEL 14984	115	60	50
YEL 14985	115	80	50
YEL 14986	115	100	50
YEL 14987	115	120	50
YEL 14988	115	150	50
YEL 14989	115	180	50
YEL 14990	115	220	50
YEL 14991	115	240	50
YEL 15294	115	320	50
YEL 15295	115	400	50

Yellow

Abrasive paper rolls



Backing	D - weight paper
Grain	aluminium oxide
Bonding agent	resin
Coating	semi - open




Applications

wood	•
paint / varnish / filler	•
plastic	•

Available grits

16	150 •	800
24	180 •	1000
30	220 •	1200
36	240 •	1500
40 •	280	2000
50	320 •	2500
60 •	360	3000
80 •	400 •	4000
100 •	500	5000
120 •	600	

Catalog number	Dimension (mm) width / lenght	Grit	Package (pcs)
YEL 15001	115 x 5.000	40	1
YEL 15002	115 x 5.000	60	1
YEL 15003	115 x 5.000	80	1
YEL 15004	115 x 5.000	100	1
YEL 15005	115 x 5.000	120	1
YEL 15006	115 x 5.000	150	1
YEL 15007	115 x 5.000	180	1
YEL 15008	115 x 5.000	220	1
YEL 15009	115 x 5.000	240	1
YEL 16142	115 x 5.000	320	1
YEL 16143	115 x 5.000	400	1



Yellow

Abrasive paper sheets

Backing	D - weight paper
Grain	aluminium oxide
Bonding agent	resin
Coating	semi - open




Applications

wood	•
paint / varnish / filler	•
plastic	•

Available grits

16	150 •	800
24	180 •	1000
30	220 •	1200
36	240 •	1500
40 •	280	2000
50	320 •	2500
60 •	360	3000
80 •	400 •	4000
100 •	500	5000
120 •	600	

Catalog number	Dimension (mm) <i>width / length</i>	Grit	Package (pcs)
YEL 15010	115 x 280	40	50
YEL 15011	115 x 280	60	50
YEL 15012	115 x 280	80	50
YEL 15013	115 x 280	100	50
YEL 15014	115 x 280	120	50
YEL 15015	115 x 280	150	50
YEL 15016	115 x 280	180	50
YEL 15017	115 x 280	220	50
YEL 15018	115 x 280	240	50
YEL 16145	115 x 280	320	50
YEL 16146	115 x 280	400	50



Yellow

Abrasive paper sheets

Backing	D - weight paper
Grain	aluminium oxide
Bonding agent	resin
Coating	semi - open



Applications

wood	•
paint / varnish / filler	•
plastic	•

Available grits

16	150 •	800
24	180 •	1000
30	220 •	1200
36	240 •	1500
40 •	280	2000
50	320 •	2500
60 •	360	3000
80 •	400 •	4000
100 •	500	5000
120 •	600	

Catalog number	Dimension (mm) <i>width / length</i>	Grit	Package (pcs)
YEL 15019	230 x 280	40	50
YEL 15020	230 x 280	60	50
YEL 15021	230 x 280	80	50
YEL 15022	230 x 280	100	50
YEL 15023	230 x 280	120	50
YEL 15024	230 x 280	150	50
YEL 15025	230 x 280	180	50
YEL 15026	230 x 280	220	50
YEL 15027	230 x 280	240	50
YEL 16148	230 x 280	320	50
YEL 16149	230 x 280	400	50

For Yellow - different sizes of rolls and sheets available upon request. Maximum jumboroll height: 690mm.


Minimum order quantity: on asking.

White

Abrasive paper rolls



Backing	D - weight paper
Grain	aluminium oxide
Bonding agent	resin
Coating	semi - open



Applications

wood	•
paint / varnish / filler	•
plastic	•

Available grits

16	150 •	800
24	180 •	1000
30	220 •	1200
36	240 •	1500
40 •	280	2000
50	320 •	2500
60 •	360	3000
80 •	400 •	4000
100 •	500	5000
120 •	600	

Catalog number	Dimension (mm) width	Grit	Package (meters)
WHI 00012	115	40	50
WHI 00013	115	60	50
WHI 00014	115	80	50
WHI 00015	115	100	50
WHI 00016	115	120	50
WHI 00017	115	150	50
WHI 00018	115	180	50
WHI 00019	115	220	50
WHI 00020	115	240	50
WHI 00021	115	320	50
WHI 00022	115	400	50

White

Abrasive paper rolls



Backing	D - weight paper
Grain	aluminium oxide
Bonding agent	resin
Coating	semi - open



Applications

wood	•
paint / varnish / filler	•
plastic	•


Available grits

16	150 •	800
24	180 •	1000
30	220 •	1200
36	240 •	1500
40 •	280	2000
50	320 •	2500
60 •	360	3000
80 •	400 •	4000
100 •	500	5000
120 •	600	

Catalog number	Dimension (mm) width / lenght	Grit	Package (pcs)
WHI 00032	115 x 5.000	40	1
WHI 00033	115 x 5.000	60	1
WHI 00034	115 x 5.000	80	1
WHI 00035	115 x 5.000	100	1
WHI 00036	115 x 5.000	120	1
WHI 00037	115 x 5.000	150	1
WHI 00038	115 x 5.000	180	1
WHI 00039	115 x 5.000	220	1
WHI 00040	115 x 5.000	240	1
WHI 00041	115 x 5.000	320	1
WHI 00042	115 x 5.000	400	1

For White - different sizes of rolls and sheets available upon request. Maximum jumboroll height: 1400mm.

Minimum order quantity: on asking.



Red

Abrasive paper sheets

Backing	D - weight paper
Grain	aluminium oxide
Bonding agent	resin
Coating	semi - open



Applications

wood	•
paint / varnish / filler	•
plastic	•

Available grits

16	150 •	800
24	180 •	1000
30	220 •	1200
36 •	240 •	1500
40 •	280	2000
50	320	2500
60 •	360	3000
80 •	400	4000
100 •	500	5000
120 •	600	


Catalog number	Dimension (mm) <i>width / length</i>	Grit	Package (pcs)
RED 16527	230 x 280	36	50
RED 14056	230 x 280	40	50
RED 14057	230 x 280	60	50
RED 14058	230 x 280	80	50
RED 14059	230 x 280	100	50
RED 14060	230 x 280	120	50
RED 14061	230 x 280	150	50
RED 14062	230 x 280	180	50
RED 14063	230 x 280	220	50
RED 14064	230 x 280	240	50



KND

Abrasive velcro discs

Backing	D - weight paper
Grain	aluminium oxide
Bonding agent	resin
Coating	semi - open



Applications

wood	•
paint / varnish / filler	•
plastic	•
metal	•

Available grits

16 •	150 •	800
24 •	180 •	1000
30	220 •	1200
36 •	240 •	1500
40 •	280	2000
50	320 •	2500
60 •	360	3000
80 •	400 •	4000
100 •	500	5000
120 •	600 •	


Catalog number	Dimension (mm) <i>diameter</i>	Holes	Grit	Package (pcs)
KND 33229	125	without holes	16	50
KND 30983	125	without holes	24	50
KND 30984	125	without holes	36	50
KND 30985	125	without holes	40	50
KND 30986	125	without holes	60	50
KND 30987	125	without holes	80	50
KND 30988	125	without holes	100	50
KND 30989	125	without holes	120	50
KND 30990	125	without holes	150	50
KND 30991	125	without holes	180	50
KND 30992	125	without holes	220	50
KND 30993	125	without holes	240	50
KND 30995	125	without holes	320	50
KND 30997	125	without holes	400	50
KND 30999	125	without holes	600	50

KND

Abrasive velcro discs



Backing	D - weight paper
Grain	aluminium oxide
Bonding agent	resin
Coating	semi - open



Applications

wood	•
paint / varnish / filler	•
plastic	•
metal	•

Available grits

16	150 •	800
24 •	180 •	1000
30	220 •	1200
36 •	240 •	1500
40 •	280	2000
50	320 •	2500
60 •	360	3000
80 •	400 •	4000
100 •	500	5000
120 •	600 •	


Catalog number	Dimension (mm) diameter	Holes	Grit	Package (pcs)
KND 31072	125	8	24	50
KND 31073	125	8	36	50
KND 31074	125	8	40	50
KND 31075	125	8	60	50
KND 31076	125	8	80	50
KND 31077	125	8	100	50
KND 31078	125	8	120	50
KND 31079	125	8	150	50
KND 31080	125	8	180	50
KND 31081	125	8	220	50
KND 31082	125	8	240	50
KND 31084	125	8	320	50
KND 31086	125	8	400	50
KND 31088	125	8	600	50

KND

Abrasive velcro discs



Backing	D - weight paper
Grain	aluminium oxide
Bonding agent	resin
Coating	semi - open



Applications

wood	•
paint / varnish / filler	•
plastic	•
metal	•

Available grits

16 •	150 •	800
24 •	180 •	1000
30	220 •	1200
36 •	240 •	1500
40 •	280	2000
50	320 •	2500
60 •	360	3000
80 •	400 •	4000
100 •	500	5000
120 •	600 •	

NEW

Blister 5 pcs.


Catalog number	Dimension (mm) diameter	Holes	Grit	Package (pcs)
KND 33265	125	without holes	24	1
KND 33266	125	without holes	36	1
KND 33267	125	without holes	40	1
KND 33268	125	without holes	60	1
KND 33269	125	without holes	80	1
KND 33270	125	without holes	100	1
KND 33271	125	without holes	120	1
KND 33272	125	without holes	150	1
KND 33273	125	without holes	180	1
KND 33274	125	without holes	220	1
KND 33275	125	without holes	240	1
KND 33289	125	without holes	320	1
KND 33290	125	without holes	400	1
KND 33291	125	without holes	600	1



KND

Abrasive velcro discs

Backing	D - weight paper
Grain	aluminium oxide
Bonding agent	resin
Coating	semi - open



NEW

Applications

wood	•
paint / varnish / filler	•
plastic	•
metal	•

Available grits

16 •	150 •	800
24 •	180 •	1000
30	220 •	1200
36 •	240 •	1500
40 •	280	2000
50	320 •	2500
60 •	360	3000
80 •	400 •	4000
100 •	500	5000
120 •	600 •	

Blister 5 pcs.

Catalog number	Dimension (mm) diameter	Holes	Grit	Package (pcs)
KND 33277	125	8	24	1
KND 33278	125	8	36	1
KND 33279	125	8	40	1
KND 33280	125	8	60	1
KND 33281	125	8	80	1
KND 33282	125	8	100	1
KND 33283	125	8	120	1
KND 33284	125	8	150	1
KND 33285	125	8	180	1
KND 33286	125	8	220	1
KND 33287	125	8	240	1
KND 33292	125	8	320	1
KND 33293	125	8	400	1
KND 33294	125	8	600	1



KND

Abrasive velcro discs

Backing	D - weight paper
Grain	aluminium oxide
Bonding agent	resin
Coating	semi - open



Applications

wood	•
paint / varnish / filler	•
plastic	•
metal	•

Available grits

16	150 •	800
24 •	180 •	1000
30	220 •	1200
36 •	240 •	1500
40 •	280	2000
50	320 •	2500
60 •	360	3000
80 •	400 •	4000
100 •	500	5000
120 •	600 •	


Catalog number	Dimension (mm) diameter	Holes	Grit	Package (pcs)
KND 31095	150	without holes	24	50
KND 31096	150	without holes	36	50
KND 31097	150	without holes	40	50
KND 31098	150	without holes	60	50
KND 31099	150	without holes	80	50
KND 31100	150	without holes	100	50
KND 31101	150	without holes	120	50
KND 31102	150	without holes	150	50
KND 31103	150	without holes	180	50
KND 31104	150	without holes	220	50
KND 31105	150	without holes	240	50
KND 31107	150	without holes	320	50
KND 31109	150	without holes	400	50
KND 31111	150	without holes	600	50

KND

Abrasive velcro discs



Backing	D - weight paper
Grain	aluminium oxide
Bonding agent	resin
Coating	semi - open



Applications

wood	•
paint / varnish / filler	•
plastic	•
metal	•

Available grits

16	150 •	800
24 •	180 •	1000
30	220 •	1200
36 •	240 •	1500
40 •	280	2000
50	320 •	2500
60 •	360	3000
80 •	400 •	4000
100 •	500	5000
120 •	600 •	


Catalog number	Dimension (mm) <i>diameter</i>	Holes	Grit	Package (pcs)
KND 31133	150	6	24	50
KND 31134	150	6	36	50
KND 31135	150	6	40	50
KND 31136	150	6	60	50
KND 31137	150	6	80	50
KND 31138	150	6	100	50
KND 31139	150	6	120	50
KND 31140	150	6	150	50
KND 31141	150	6	180	50
KND 31142	150	6	220	50
KND 31143	150	6	240	50
KND 31145	150	6	320	50
KND 31147	150	6	400	50
KND 31149	150	6	600	50

KND

Abrasive velcro discs



Backing	D - weight paper
Grain	aluminium oxide
Bonding agent	resin
Coating	semi - open



Applications

wood	•
paint / varnish / filler	•
plastic	•
metal	•


Available grits

16	150 •	800
24 •	180 •	1000
30	220 •	1200
36 •	240 •	1500
40 •	280	2000
50	320 •	2500
60 •	360	3000
80 •	400 •	4000
100 •	500	5000
120 •	600 •	

Catalog number	Dimension (mm) <i>diameter</i>	Holes	Grit	Package (pcs)
KND 31171	150	8 + 1	24	50
KND 31172	150	8 + 1	36	50
KND 31173	150	8 + 1	40	50
KND 31174	150	8 + 1	60	50
KND 31175	150	8 + 1	80	50
KND 31176	150	8 + 1	100	50
KND 31177	150	8 + 1	120	50
KND 31178	150	8 + 1	150	50
KND 31179	150	8 + 1	180	50
KND 31180	150	8 + 1	220	50
KND 31181	150	8 + 1	240	50
KND 31183	150	8 + 1	320	50
KND 31185	150	8 + 1	400	50
KND 31187	150	8 + 1	600	50

KND

Abrasive velcro Delta



Backing	D - weight paper
Grain	aluminium oxide
Bonding agent	resin
Coating	semi - open



NEW

Applications

wood	•
paint / varnish / filler	•
plastic	•
metal	•

Available grits

16	150 •	800
24 •	180 •	1000
30	220 •	1200
36 •	240 •	1500
40 •	280	2000
50	320 •	2500
60 •	360	3000
80 •	400 •	4000
100 •	500	5000
120 •	600 •	

Catalog number	Dimension (mm) diameter	Holes	Grit	Package (pcs)
KND 33295	93 x 93 x 93	6	24	50
KND 33296	93 x 93 x 93	6	36	50
KND 33297	93 x 93 x 93	6	40	50
KND 33298	93 x 93 x 93	6	60	50
KND 33299	93 x 93 x 93	6	80	50
KND 33300	93 x 93 x 93	6	100	50
KND 33301	93 x 93 x 93	6	120	50
KND 33302	93 x 93 x 93	6	150	50
KND 33303	93 x 93 x 93	6	180	50
KND 33304	93 x 93 x 93	6	220	50
KND 33305	93 x 93 x 93	6	240	50
KND 33306	93 x 93 x 93	6	320	50
KND 33307	93 x 93 x 93	6	400	50
KND 33308	93 x 93 x 93	6	600	50

KND

Abrasive velcro Delta



Backing	D - weight paper
Grain	aluminium oxide
Bonding agent	resin
Coating	semi - open



NEW

Applications

wood	•
paint / varnish / filler	•
plastic	•
metal	•

Available grits

16	150 •	800
24 •	180 •	1000
30	220 •	1200
36 •	240 •	1500
40 •	280	2000
50	320 •	2500
60 •	360	3000
80 •	400 •	4000
100 •	500	5000
120 •	600 •	

Blister 5 pcs.

Catalog number	Dimension (mm) diameter	Holes	Grit	Package (pcs)
KND 33309	93 x 93 x 93	6	24	1
KND 33310	93 x 93 x 93	6	36	1
KND 33311	93 x 93 x 93	6	40	1
KND 33312	93 x 93 x 93	6	60	1
KND 33313	93 x 93 x 93	6	80	1
KND 33314	93 x 93 x 93	6	100	1
KND 33315	93 x 93 x 93	6	120	1
KND 33316	93 x 93 x 93	6	150	1
KND 33317	93 x 93 x 93	6	180	1
KND 33318	93 x 93 x 93	6	220	1
KND 33319	93 x 93 x 93	6	240	1
KND 33320	93 x 93 x 93	6	320	1
KND 33321	93 x 93 x 93	6	400	1
KND 33322	93 x 93 x 93	6	600	1



KND

Abrasive velcro discs

Backing	D - weight paper
Grain	aluminium oxide
Bonding agent	resin
Coating	semi - open



Applications

wood	•
paint / varnish / filler	•
plastic	•
metal	•


Available grits

16	150 •	800
24 •	180 •	1000
30	220 •	1200
36 •	240 •	1500
40 •	280	2000
50	320 •	2500
60 •	360	3000
80 •	400 •	4000
100 •	500	5000
120 •	600 •	

Catalog number	Dimension (mm) <i>diameter</i>	Holes	Grit	Package (pcs)
KND 33128	225	without holes	24	50
KND 33129	225	without holes	36	50
KND 33130	225	without holes	40	50
KND 33044	225	without holes	60	50
KND 33131	225	without holes	80	50
KND 33045	225	without holes	100	50
KND 33132	225	without holes	120	50
KND 33133	225	without holes	150	50
KND 33134	225	without holes	180	50
KND 33135	225	without holes	220	50
KND 33136	225	without holes	240	50
KND 33230	225	without holes	320	50
KND 33231	225	without holes	400	50
KND 33232	225	without holes	600	50

For KND - different sizes of discs available upon request. Maximum diameter of discs: 700mm.

Minimum order quantity: on asking.



Multi

Abrasive velcro discs

Backing	D - weight paper
Grain	aluminium oxide
Bonding agent	resin
Coating	semi - open



Applications

paint / varnish / filler	•
--------------------------	---

Available grits

16	150 •	800
24	180 •	1000
30	220 •	1200
36	240	1500
40 •	280	2000
50	320	2500
60 •	360	3000
80 •	400	4000
100 •	500	5000
120 •	600	

NEW


Catalog number	Dimension (mm) <i>diameter</i>	Holes	Grit	Package (pcs)
MUL 00001	225	Multi	40	10
MUL 00002	225	Multi	60	10
MUL 00003	225	Multi	80	10
MUL 00004	225	Multi	100	10
MUL 00005	225	Multi	120	10
MUL 00006	225	Multi	150	10
MUL 00007	225	Multi	180	10
MUL 00008	225	Multi	220	10

ECA Antistatic

Abrasive paper rolls



Backing	F - weight paper
Grain	aluminium oxide
Bonding agent	resin
Coating	semi - open



Applications

wood	•
plastic	•
metal	•

Available grits

16 •	150 •	800
24 •	180 •	1000
30 •	220 •	1200
36 •	240 •	1500
40 •	280	2000
50	320	2500
60 •	360	3000
80 •	400	4000
100 •	500	5000
120 •	600	


Catalog number	Dimension (mm) width	Grit	Package (meters)
ECA 16212	150	16	25
ECA 15386	150	24	25
ECA 15387	150	36	25
ECA 13328	150	40	50
ECA 13329	150	60	50
ECA 13330	150	80	50
ECA 13331	150	100	50
ECA 13332	150	120	50
ECA 13333	150	150	50
ECA 13335	150	180	50
ECA 13336	150	220	50
ECA 13337	150	240	50

ECA Antistatic

Abrasive paper rolls



Backing	F - weight paper
Grain	aluminium oxide
Bonding agent	resin
Coating	semi - open



Applications

wood	•
plastic	•
metal	•

Available grits

16 •	150 •	800
24 •	180 •	1000
30 •	220 •	1200
36 •	240 •	1500
40 •	280	2000
50	320	2500
60 •	360	3000
80 •	400	4000
100 •	500	5000
120 •	600	

Catalog number	Dimension (mm) width	Grit	Package (meters)
ECA 16217	200	16	25
ECA 15289	200	24	25
ECA 15290	200	36	25
ECA 13338	200	40	25
ECA 13339	200	60	25
ECA 13340	200	80	25
ECA 13341	200	100	25
ECA 13342	200	120	25
ECA 13343	200	150	25
ECA 13344	200	180	25
ECA 13345	200	220	25
ECA 13346	200	240	25

For ECA Antistatic - different sizes of rolls and endless belts available upon request. Maximum jumboroll height: 1380mm.


Minimum order quantity: on asking.



WPF Black

Waterproof abrasive latex paper sheets

Backing	A-C - weight paper
Grain	silicon carbide
Bonding agent	resin
Coating	close



Applications

paint / varnish / filler	•
glass / stone	•
plastic	•
metal	•
steel	•
stainless steel	•

Available grits

16	150 •	800 •
24	180 •	1000 •
30	220 •	1200 •
36	240 •	1500 •
40	280 •	2000 •
50	320 •	2500 •
60 •	360 •	3000 •
80 •	400 •	4000 •
100 •	500 •	5000 •
120 •	600 •	

Catalog number	Dimension (mm) <i>width / length</i>	Grit	Package (pcs)
WPB 14729	230 x 280	60	50
WPB 14730	230 x 280	80	50
WPB 14731	230 x 280	100	50
WPB 14732	230 x 280	120	50
WPB 14733	230 x 280	150	50
WPB 14734	230 x 280	180	50
WPB 14735	230 x 280	220	50
WPB 14736	230 x 280	240	50
WPB 14737	230 x 280	280	50
WPB 14738	230 x 280	320	50
WPB 14739	230 x 280	360	50
WPB 14740	230 x 280	400	50
WPB 14741	230 x 280	500	50
WPB 14742	230 x 280	600	50
WPB 14743	230 x 280	800	50
WPB 14744	230 x 280	1000	50
WPB 14745	230 x 280	1200	50
WPB 14746	230 x 280	1500	50
WPB 14747	230 x 280	2000	50
WPB 20462	230 x 280	2500	50



WPF Raid

Waterproof abrasive latex paper sheets

Backing	A-C - weight paper
Grain	silicon carbide
Bonding agent	resin
Coating	close



Applications

paint / varnish / filler	•
glass / stone	•
plastic	•
metal	•
steel	•
stainless steel	•

Available grits

16	150 •	800 •
24	180 •	1000 •
30	220 •	1200 •
36	240 •	1500 •
40	280 •	2000 •
50	320 •	2500 •
60 •	360 •	3000 •
80 •	400 •	4000 •
100 •	500 •	5000 •
120 •	600 •	

Catalog number	Dimension (mm) <i>width / lenght</i>	Grit	Package (pcs)
RAI 31370	230 x 280	60	50
RAI 29728	230 x 280	80	50
RAI 29729	230 x 280	100	50
RAI 29730	230 x 280	120	50
RAI 29731	230 x 280	150	50
RAI 29732	230 x 280	180	50
RAI 29733	230 x 280	220	50
RAI 29734	230 x 280	240	50
RAI 29735	230 x 280	280	50
RAI 29736	230 x 280	320	50
RAI 29737	230 x 280	360	50
RAI 29738	230 x 280	400	50
RAI 29739	230 x 280	500	50
RAI 29740	230 x 280	600	50
RAI 29741	230 x 280	800	50
RAI 29742	230 x 280	1000	50
RAI 29743	230 x 280	1200	50
RAI 29744	230 x 280	1500	50
RAI 29745	230 x 280	2000	50
RAI 29746	230 x 280	2500	50
RAI 29747	230 x 280	3000	50
RAI 29748	230 x 280	4000	50
RAI 29749	230 x 280	5000	50



Sente

Abrasive screen mesh sheets

Backing	fiberglass net
Grain	silicon carbide
Bonding agent	resin
Coating	close



Applications

paint / varnish / filler •

Available grits

16	150 •	800 •
24	180 •	1000 •
30	220 •	1200 •
36	240 •	1500 •
40 •	280 •	2000 •
50	320 •	2500
60 •	360 •	3000
80 •	400 •	4000
100 •	500 •	5000
120 •	600 •	

Catalog number	Dimension (mm) width / length	Grit	Package (pcs)
SEN 16877	105 x 270	40	50
SEN 16878	105 x 270	60	50
SEN 16879	105 x 270	80	50
SEN 16880	105 x 270	100	50
SEN 16881	105 x 270	120	50
SEN 16882	105 x 270	150	50
SEN 16883	105 x 270	180	50
SEN 16884	105 x 270	220	50
SEN 16885	105 x 270	240	50
SEN 31060	105 x 270	280	50
SEN 31061	105 x 270	320	50
SEN 31062	105 x 270	360	50
SEN 31063	105 x 270	400	50
SEN 31064	105 x 270	500	50
SEN 31065	105 x 270	600	50
SEN 31066	105 x 270	800	50
SEN 31067	105 x 270	1000	50
SEN 31068	105 x 270	1200	50
SEN 31069	105 x 270	1500	50
SEN 31070	105 x 270	2000	50



Primnet

Abrasive screen mesh in velcro discs

Backing	fiberglass net
Grain	silicon carbide
Bonding agent	resin
Coating	close



Applications

paint / varnish / filler •

Available grits

16	150 •	800
24	180 •	1000
30	220	1200
36	240	1500
40	280	2000
50	320	2500
60 •	360	3000
80 •	400	4000
100 •	500	5000
120 •	600	

Catalog number	Dimension (mm) diameter	Holes	Grit	Package (pcs)
PRI 00001	225	without holes	60	25
PRI 00002	225	without holes	80	25
PRI 00003	225	without holes	100	25
PRI 00004	225	without holes	120	25
PRI 00005	225	without holes	150	25
PRI 00006	225	without holes	180	25



PA Fan

Abrasive cloth sheets

Backing	J cotton cloth
Grain	aluminium oxide
Bonding agent	glue
Coating	close




Applications

wood	•
paint / varnish / filler	•
plastic	•
metal	•

Available grits

16	150 •	800
24	180 •	1000
30	220 •	1200
36 •	240 •	1500
40 •	280	2000
50	320	2500
60 •	360	3000
80 •	400	4000
100 •	500	5000
120 •	600	

Catalog number	Dimension (mm) <i>width / length</i>	Grit	Package (pcs)
PAF 13830	230 x 280	36	50
PAF 13831	230 x 280	40	50
PAF 13832	230 x 280	60	50
PAF 13833	230 x 280	80	50
PAF 13834	230 x 280	100	50
PAF 13835	230 x 280	120	50
PAF 13836	230 x 280	150	50
PAF 13837	230 x 280	180	50
PAF 13838	230 x 280	220	50
PAF 13839	230 x 280	240	50



PA Grante

Abrasive cloth sheets

Backing	J cotton cloth
Grain	aluminium oxide
Bonding agent	glue over resin
Coating	semi - open



Applications

wood	•
paint / varnish / filler	•
plastic	•
metal	•

Available grits

16	150 •	800
24 •	180 •	1000
30	220 •	1200
36 •	240 •	1500
40 •	280 •	2000
50	320 •	2500
60 •	360 •	3000
80 •	400 •	4000
100 •	500 •	5000
120 •	600 •	

Catalog number	Dimension (mm) <i>width / length</i>	Grit	Package (pcs)
PAG 15155	230 x 280	24	50
PAG 13858	230 x 280	36	50
PAG 13859	230 x 280	40	50
PAG 13860	230 x 280	60	50
PAG 13861	230 x 280	80	50
PAG 13862	230 x 280	100	50
PAG 13863	230 x 280	120	50
PAG 13864	230 x 280	150	50
PAG 13865	230 x 280	180	50
PAG 13866	230 x 280	220	50
PAG 13867	230 x 280	240	50
PAG 33638	230 x 280	280	50
PAG 33639	230 x 280	320	50
PAG 33651	230 x 280	360	50
PAG 33640	230 x 280	400	50
PAG 33641	230 x 280	500	50
PAG 33642	230 x 280	600	50

PA Grante

Abrasive cloth rolls



Backing	J cotton cloth
Grain	aluminium oxide
Bonding agent	glue over resin
Coating	semi - open



Applications

wood	•
paint / varnish / filler	•
plastic	•
metal	•

Available grits

16	150 •	800
24 •	180 •	1000
30	220 •	1200
36 •	240 •	1500
40 •	280	2000
50	320 •	2500
60 •	360	3000
80 •	400 •	4000
100 •	500	5000
120 •	600	

Catalog number	Dimension (mm) width	Grit	Package (meters)
PAG 31834	115	24	25
PAG 31835	115	36	25
PAG 31836	115	40	50
PAG 31837	115	60	50
PAG 31838	115	80	50
PAG 31839	115	100	50
PAG 31840	115	120	50
PAG 31841	115	150	50
PAG 31842	115	180	50
PAG 31843	115	220	50
PAG 31844	115	240	50
PAG 33643	115	320	50
PAG 33644	115	400	50

PA Grante

Abrasive cloth rolls



Backing	J cotton cloth
Grain	aluminium oxide
Bonding agent	glue over resin
Coating	semi - open



Applications

wood	•
paint / varnish / filler	•
plastic	•
metal	•

Available grits

16	150 •	800
24 •	180 •	1000
30	220 •	1200
36 •	240 •	1500
40 •	280	2000
50	320 •	2500
60 •	360	3000
80 •	400 •	4000
100 •	500	5000
120 •	600	

Catalog number	Dimension (mm) width / lenght	Grit	Package (pcs)
PAG 33473	115 x 5.000	24	1
PAG 33474	115 x 5.000	36	1
PAG 33110	115 x 5.000	40	1
PAG 33111	115 x 5.000	60	1
PAG 33112	115 x 5.000	80	1
PAG 33113	115 x 5.000	100	1
PAG 33114	115 x 5.000	120	1
PAG 33115	115 x 5.000	150	1
PAG 33159	115 x 5.000	180	1
PAG 33475	115 x 5.000	220	1
PAG 33476	115 x 5.000	240	1
PAG 33653	115 x 5.000	320	1
PAG 33654	115 x 5.000	400	1

PA Grante

Abrasive cloth rolls



Backing	J cotton cloth
Grain	aluminium oxide
Bonding agent	glue over resin
Coating	semi - open



Applications

wood	•
paint / varnish / filler	•
plastic	•
metal	•

Available grits

16	150 •	800
24 •	180 •	1000
30	220 •	1200
36 •	240 •	1500
40 •	280	2000
50	320 •	2500
60 •	360	3000
80 •	400 •	4000
100 •	500	5000
120 •	600	

Catalog number	Dimension (mm) width / lenght	Grit	Package (pcs)
PAG 33655	115 x 10.000	24	1
PAG 33656	115 x 10.000	36	1
PAG 33657	115 x 10.000	40	1
PAG 33658	115 x 10.000	60	1
PAG 33659	115 x 10.000	80	1
PAG 33660	115 x 10.000	100	1
PAG 33661	115 x 10.000	120	1
PAG 33662	115 x 10.000	150	1
PAG 33663	115 x 10.000	180	1
PAG 33664	115 x 10.000	220	1
PAG 33665	115 x 10.000	240	1
PAG 33666	115 x 10.000	320	1
PAG 33667	115 x 10.000	400	1

PA Grante

Abrasive cloth rolls



Backing	J cotton cloth
Grain	aluminium oxide
Bonding agent	glue over resin
Coating	semi - open



Applications

wood	•
paint / varnish / filler	•
plastic	•
metal	•

Available grits

16	150 •	800
24 •	180 •	1000
30	220 •	1200
36 •	240 •	1500
40 •	280	2000
50	320 •	2500
60 •	360	3000
80 •	400 •	4000
100 •	500	5000
120 •	600	

Catalog number	Dimension (mm) width	Grit	Package (meters)
PAG 31845	150	24	25
PAG 29766	150	36	25
PAG 29767	150	40	50
PAG 29768	150	60	50
PAG 29769	150	80	50
PAG 29770	150	100	50
PAG 29771	150	120	50
PAG 29772	150	150	50
PAG 29773	150	180	50
PAG 29774	150	220	50
PAG 29775	150	240	50
PAG 33645	150	320	50
PAG 33646	150	400	50

PA Grante

Abrasive cloth rolls



Backing	J cotton cloth
Grain	aluminium oxide
Bonding agent	glue over resin
Coating	semi - open

Applications

wood	•
paint / varnish / filler	•
plastic	•
metal	•

Available grits

16	150 •	800
24 •	180 •	1000
30	220 •	1200
36 •	240 •	1500
40 •	280	2000
50	320 •	2500
60 •	360	3000
80 •	400 •	4000
100 •	500	5000
120 •	600	



Catalog number	Dimension (mm) width	Grit	Package (meters)
PAG 30715	200	24	25
PAG 28747	200	36	25
PAG 28748	200	40	50
PAG 28751	200	60	50
PAG 28750	200	80	50
PAG 28465	200	100	50
PAG 29575	200	120	50
PAG 29576	200	150	50
PAG 29577	200	180	50
PAG 29578	200	220	50
PAG 29579	200	240	50
PAG 33647	200	320	50
PAG 33648	200	400	50

PA Grante

Abrasive cloth rolls



Backing	J cotton cloth
Grain	aluminium oxide
Bonding agent	glue over resin
Coating	semi - open

Applications

wood	•
paint / varnish / filler	•
plastic	•
metal	•

Available grits

16	150 •	800
24 •	180 •	1000
30	220 •	1200
36 •	240 •	1500
40 •	280	2000
50	320 •	2500
60 •	360	3000
80 •	400 •	4000
100 •	500	5000
120 •	600	



Catalog number	Dimension (mm) width	Grit	Package (meters)
PAG 31846	920	24	25
PAG 27269	920	36	25
PAG 27270	920	40	25
PAG 27271	920	60	25
PAG 27272	920	80	25
PAG 27273	920	100	25
PAG 27274	920	120	25
PAG 27275	920	150	25
PAG 31847	920	180	25
PAG 31848	920	220	25
PAG 31849	920	240	25
PAG 33649	920	320	25
PAG 33650	920	400	25

For PA Grante - different sizes of rolls and sheets available upon request. Maximum jumboroll height: 930mm.

Minimum order quantity: on asking.

J Flex

Abrasive cloth rolls



Backing	JF cotton cloth
Grain	aluminium oxide
Bonding agent	resin
Coating	semi - open

Applications

wood	•
plastic	•
metal	•

Available grits

16	150 •	800
24 •	180 •	1000
30	220 •	1200
36 •	240 •	1500
40 •	280	2000
50	320 •	2500
60 •	360	3000
80 •	400 •	4000
100 •	500	5000
120 •	600	



Catalog number	Dimension (mm) width	Grit	Package (meters)
JFL 15747	115	24	25
JFL 15748	115	36	25
JFL 13619	115	40	50
JFL 13620	115	60	50
JFL 13621	115	80	50
JFL 13622	115	100	50
JFL 13623	115	120	50
JFL 13624	115	150	50
JFL 13625	115	180	50
JFL 13626	115	220	50
JFL 13627	115	240	50
JFL 16122	115	320	50
JFL 16123	115	400	50

J Flex

Abrasive cloth rolls



Backing	JF cotton cloth
Grain	aluminium oxide
Bonding agent	resin
Coating	semi - open

Applications

wood	•
plastic	•
metal	•

Available grits

16	150 •	800
24 •	180 •	1000
30	220 •	1200
36 •	240 •	1500
40 •	280	2000
50	320 •	2500
60 •	360	3000
80 •	400 •	4000
100 •	500	5000
120 •	600	



Catalog number	Dimension (mm) width	Grit	Package (meters)
JFL 13628	150	24	25
JFL 13629	150	36	25
JFL 13630	150	40	50
JFL 13631	150	60	50
JFL 13632	150	80	50
JFL 13633	150	100	50
JFL 13634	150	120	50
JFL 13635	150	150	50
JFL 13636	150	180	50
JFL 13637	150	220	50
JFL 13638	150	240	50
JFL 16124	150	320	50
JFL 16125	150	400	50



J Flex

Abrasive cloth rolls

Backing	JF cotton cloth
Grain	aluminium oxide
Bonding agent	resin
Coating	semi - open

Applications

wood	•
plastic	•
metal	•

Available grits

16	150 •	800
24 •	180 •	1000
30	220 •	1200
36 •	240 •	1500
40 •	280	2000
50	320 •	2500
60 •	360	3000
80 •	400 •	4000
100 •	500	5000
120 •	600	



Catalog number	Dimension (mm) width	Grit	Package (meters)
JFL 13639	200	24	25
JFL 13640	200	36	25
JFL 13641	200	40	50
JFL 13642	200	60	50
JFL 13643	200	80	50
JFL 13644	200	100	50
JFL 13645	200	120	50
JFL 13646	200	150	50
JFL 13647	200	180	50
JFL 13648	200	220	50
JFL 13649	200	240	50
JFL 16126	200	320	50
JFL 16127	200	400	50



J Flex

Abrasive cloth rolls

Backing	JF cotton cloth
Grain	aluminium oxide
Bonding agent	resin
Coating	semi - open

Applications

wood	•
plastic	•
metal	•

Available grits

16	150 •	800
24 •	180 •	1000
30	220 •	1200
36 •	240 •	1500
40 •	280	2000
50	320 •	2500
60 •	360	3000
80 •	400 •	4000
100 •	500	5000
120 •	600	



Catalog number	Dimension (mm) width	Grit	Package (meters)
JFL 17185	1000	24	25
JFL 17186	1000	36	25
JFL 17187	1000	40	25
JFL 17188	1000	60	25
JFL 17189	1000	80	25
JFL 17190	1000	100	25
JFL 17191	1000	120	25
JFL 17192	1000	150	25
JFL 17193	1000	180	25
JFL 17194	1000	220	25
JFL 17195	1000	240	25
JFL 17197	1000	320	25
JFL 17199	1000	400	25

For J Flex - different sizes of rolls, sheets and endless belts available upon request. Maximum jumboroll height: 1020mm.

Minimum order quantity: on asking.

X

Abrasive cloth rolls




Backing	X cotton cloth
Grain	aluminium oxide
Bonding agent	resin
Coating	semi - open

Applications

wood	•
plastic	•
metal	•
steel	•
stainless steel	•

Available grits

16 •	150 •	800
24 •	180 •	1000
30 •	220 •	1200
36 •	240 •	1500
40 •	280	2000
50	320	2500
60 •	360	3000
80 •	400	4000
100 •	500	5000
120 •	600	



Catalog number	Dimension (mm) width	Grit	Package (meters)
XCL 14774	150	16	25
XCL 14775	150	24	25
XCL 14776	150	36	25
XCL 14777	150	40	50
XCL 14778	150	60	50
XCL 14779	150	80	50
XCL 14780	150	100	50
XCL 14781	150	120	50
XCL 14782	150	150	50
XCL 14783	150	180	50
XCL 16120	150	220	50
XCL 14784	150	240	50

X

Abrasive cloth rolls




Backing	X cotton cloth
Grain	aluminium oxide
Bonding agent	resin
Coating	semi - open

Applications

wood	•
plastic	•
metal	•
steel	•
stainless steel	•

Available grits

16 •	150 •	800
24 •	180 •	1000
30 •	220 •	1200
36 •	240 •	1500
40 •	280	2000
50	320	2500
60 •	360	3000
80 •	400	4000
100 •	500	5000
120 •	600	



Catalog number	Dimension (mm) width	Grit	Package (meters)
XCL 14785	200	16	25
XCL 14786	200	24	25
XCL 14787	200	36	25
XCL 14788	200	40	25
XCL 14789	200	60	25
XCL 14790	200	80	25
XCL 14791	200	100	25
XCL 14792	200	120	25
XCL 14793	200	150	25
XCL 14794	200	180	25
XCL 16121	200	220	25
XCL 14795	200	240	25

X

Abrasive cloth belts



Backing	X cotton cloth
Grain	aluminium oxide
Bonding agent	resin
Coating	semi - open



Overlap type joint

Applications

wood	•
plastic	•
metal	•
steel	•
stainless steel	•


Available grits

16	150 •	800
24 •	180 •	1000
30	220 •	1200
36 •	240 •	1500
40 •	280	2000
50	320	2500
60 •	360	3000
80 •	400	4000
100 •	500	5000
120 •	600	

Catalog number	Dimension (mm) <i>width / length</i>	Grit	Package (pcs)
XCL 33907	75 x 457	24	10
XCL 33908	75 x 457	36	10
XCL 33909	75 x 457	40	10
XCL 33910	75 x 457	60	10
XCL 33911	75 x 457	80	10
XCL 33912	75 x 457	100	10
XCL 33913	75 x 457	120	10
XCL 33914	75 x 457	150	10
XCL 33915	75 x 457	180	10
XCL 33916	75 x 457	220	10
XCL 33917	75 x 457	240	10

X

Abrasive cloth belts



Backing	X cotton cloth
Grain	aluminium oxide
Bonding agent	resin
Coating	semi - open



Overlap type joint

Applications

wood	•
plastic	•
metal	•
steel	•
stainless steel	•

Available grits

16	150 •	800
24 •	180 •	1000
30	220 •	1200
36 •	240 •	1500
40 •	280	2000
50	320	2500
60 •	360	3000
80 •	400	4000
100 •	500	5000
120 •	600	

Catalog number	Dimension (mm) <i>width / length</i>	Grit	Package (pcs)
XCL 33918	75 x 533	24	10
XCL 33919	75 x 533	36	10
XCL 33920	75 x 533	40	10
XCL 33921	75 x 533	60	10
XCL 33497	75 x 533	80	10
XCL 33922	75 x 533	100	10
XCL 33923	75 x 533	120	10
XCL 33924	75 x 533	150	10
XCL 33925	75 x 533	180	10
XCL 33926	75 x 533	220	10
XCL 33927	75 x 533	240	10

X

Abrasive cloth belts



Backing	X cotton cloth
Grain	aluminium oxide
Bonding agent	resin
Coating	semi - open



Overlap type joint

Applications

wood	•
plastic	•
metal	•
steel	•
stainless steel	•

Available grits

16	150 •	800
24 •	180 •	1000
30	220 •	1200
36 •	240 •	1500
40 •	280	2000
50	320	2500
60 •	360	3000
80 •	400	4000
100 •	500	5000
120 •	600	

Catalog number	Dimension (mm) <i>width / lenght</i>	Grit	Package (pcs)
XCL 33928	100 x 610	24	10
XCL 33929	100 x 610	36	10
XCL 33231	100 x 610	40	10
XCL 33232	100 x 610	60	10
XCL 33233	100 x 610	80	10
XCL 33234	100 x 610	100	10
XCL 33235	100 x 610	120	10
XCL 33236	100 x 610	150	10
XCL 33237	100 x 610	180	10
XCL 33930	100 x 610	220	10
XCL 33931	100 x 610	240	10

X

Abrasive cloth belts



Backing	X cotton cloth
Grain	aluminium oxide
Bonding agent	resin
Coating	semi - open



Wave type joint

Applications

wood	•
------	---


Available grits

16 •	150 •	800
24 •	180 •	1000
30	220 •	1200
36 •	240 •	1500
40 •	280	2000
50	320	2500
60 •	360	3000
80 •	400	4000
100 •	500	5000
120 •	600	

Catalog number	Dimension (mm) <i>width / lenght</i>	Grit	Package (pcs)
XCL 33186	200 x 551	16	5
XCL 33149	200 x 551	24	5
XCL 33150	200 x 551	36	5
XCL 33151	200 x 551	40	5
XCL 33152	200 x 551	60	10
XCL 33153	200 x 551	80	10
XCL 33154	200 x 551	100	10
XCL 33289	200 x 551	120	10
XCL 33932	200 x 551	150	10
XCL 33933	200 x 551	180	10
XCL 33934	200 x 551	220	10
XCL 33935	200 x 551	240	10

X

Abrasive cloth belts



Backing	X cotton cloth
Grain	aluminium oxide
Bonding agent	resin
Coating	semi - open



Wave type join

Applications

wood	•
------	---

Available grits

16 •	150 •	800
24 •	180 •	1000
30	220 •	1200
36 •	240 •	1500
40 •	280	2000
50	320	2500
60 •	360	3000
80 •	400	4000
100 •	500	5000
120 •	600	

Catalog number	Dimension (mm) <i>width / lenght</i>	Grit	Package (pcs)
XCL 33195	200 x 750	16	10
XCL 33144	200 x 750	24	10
XCL 33123	200 x 750	36	10
XCL 33124	200 x 750	40	10
XCL 33125	200 x 750	60	10
XCL 33126	200 x 750	80	10
XCL 33127	200 x 750	100	10
XCL 33128	200 x 750	120	10
XCL 33219	200 x 750	150	10
XCL 33220	200 x 750	180	10
XCL 33775	200 x 750	220	10
XCL 33936	200 x 750	240	10

For X - different sizes of rolls and belts available upon request. Maximum jumboroll height: 1400mm.
Minimum order quantity: on asking.

CX

Abrasive cloth rolls




Backing	X cotton cloth
Grain	silicon carbide
Bonding agent	resin
Coating	semi - open

Applications

wood	•
plastic	•
glass / stone	•
metal	•
NF metals	•
steel	•
stainless steel	•

Available grits

16	150 •	800
24 •	180 •	1000
30	220 •	1200
36 •	240 •	1500
40 •	280	2000
50	320 •	2500
60 •	360	3000
80 •	400 •	4000
100 •	500	5000
120 •	600	



Catalog number	Dimension (mm) width	Grit	Package (meters)
CXC 12926	150	24	25
CXC 12927	150	36	25
CXC 12928	150	40	50
CXC 12929	150	60	50
CXC 12930	150	80	50
CXC 12931	150	100	50
CXC 12932	150	120	50
CXC 12933	150	150	50
CXC 12934	150	180	50
CXC 16184	150	220	50
CXC 12935	150	240	50
CXC 17121	150	320	50
CXC 17123	150	400	50

CX

Abrasive cloth rolls




Backing	X cotton cloth
Grain	silicon carbide
Bonding agent	resin
Coating	semi - open

Applications

wood	•
plastic	•
glass / stone	•
metal	•
NF metals	•
steel	•
stainless steel	•

Available grits

16	150 •	800
24 •	180 •	1000
30	220 •	1200
36 •	240 •	1500
40 •	280	2000
50	320 •	2500
60 •	360	3000
80 •	400 •	4000
100 •	500	5000
120 •	600	



Catalog number	Dimension (mm) width	Grit	Package (meters)
CXC 12936	200	24	25
CXC 12937	200	36	25
CXC 12938	200	40	25
CXC 12939	200	60	25
CXC 12940	200	80	25
CXC 12941	200	100	25
CXC 12942	200	120	25
CXC 12943	200	150	25
CXC 12944	200	180	25
CXC 16185	200	220	25
CXC 12945	200	240	25
CXC 17128	200	320	25
CXC 17130	200	400	25

For CX - different sizes of rolls and endless belts available upon request. Maximum jumboroll height: 1400mm.

Minimum order quantity: on asking.

Abrasive cloth

ZX

Abrasive cloth rolls




Backing	X cotton cloth
Grain	alumina zirconia
Bonding agent	resin
Coating	semi - open

Applications

stainless steel	•
steel	•
metal	•
wood	•

Available grits

16	150 •	800
24 •	180 •	1000
30	220 •	1200
36 •	240 •	1500
40 •	280	2000
50	320 •	2500
60 •	360	3000
80 •	400 •	4000
100 •	500	5000
120 •	600	



Catalog number	Dimension (mm) width	Grit	Package (meters)
ZXC 15522	150	24	25
ZXC 15523	150	36	25
ZXC 15064	150	40	50
ZXC 15065	150	60	50
ZXC 15066	150	80	50
ZXC 15067	150	100	50
ZXC 15068	150	120	50
ZXC 15069	150	150	50
ZXC 15070	150	180	50
ZXC 16302	150	220	50
ZXC 15071	150	240	50
ZXC 16304	150	320	50
ZXC 16306	150	400	50

ZX

Abrasive cloth rolls




Backing	X cotton cloth
Grain	alumina zirconia
Bonding agent	resin
Coating	semi - open

Applications

stainless steel	•
steel	•
metal	•
wood	•

Available grits

16	150 •	800
24 •	180 •	1000
30	220 •	1200
36 •	240 •	1500
40 •	280	2000
50	320 •	2500
60 •	360	3000
80 •	400 •	4000
100 •	500	5000
120 •	600	



Catalog number	Dimension (mm) width	Grit	Package (meters)
ZXC 15072	200	24	25
ZXC 15073	200	36	25
ZXC 15074	200	40	25
ZXC 15075	200	60	25
ZXC 15076	200	80	25
ZXC 15077	200	100	25
ZXC 15078	200	120	25
ZXC 15079	200	150	25
ZXC 15080	200	180	25
ZXC 16307	200	220	25
ZXC 15081	200	240	25
ZXC 16309	200	320	25
ZXC 16311	200	400	25

ZX

Abrasive cloth belts



Backing	X cotton cloth
Grain	alumina zirconia
Bonding agent	resin
Coating	semi - open



Wave type join

Applications

wood	•
------	---

Available grits

16	150 •	800
24 •	180 •	1000
30	220 •	1200
36 •	240 •	1500
40 •	280	2000
50	320 •	2500
60 •	360	3000
80 •	400 •	4000
100 •	500	5000
120 •	600	

Catalog number	Dimension (mm) <i>width / lenght</i>	Grit	Package (pcs)
ZXC 32425	200 x 551	24	5
ZXC 32316	200 x 551	36	5
ZXC 32426	200 x 551	40	5
ZXC 32427	200 x 551	60	10
ZXC 32428	200 x 551	80	10
ZXC 32318	200 x 551	100	10
ZXC 32429	200 x 551	120	10
ZXC 32430	200 x 551	150	10
ZXC 32431	200 x 551	180	10
ZXC 32432	200 x 551	220	10
ZXC 32433	200 x 551	240	10
ZXC 32434	200 x 551	320	10
ZXC 32435	200 x 551	400	10

ZX

Abrasive cloth belts



Backing	X cotton cloth
Grain	alumina zirconia
Bonding agent	resin
Coating	semi - open



Wave type join

Applications

wood	•
------	---

Available grits

16	150 •	800
24 •	180 •	1000
30	220 •	1200
36 •	240 •	1500
40 •	280	2000
50	320 •	2500
60 •	360	3000
80 •	400 •	4000
100 •	500	5000
120 •	600	

Catalog number	Dimension (mm) <i>width / lenght</i>	Grit	Package (pcs)
ZXC 32305	200 x 750	24	10
ZXC 32306	200 x 750	36	10
ZXC 32307	200 x 750	40	10
ZXC 32308	200 x 750	60	10
ZXC 32309	200 x 750	80	10
ZXC 32310	200 x 750	100	10
ZXC 32311	200 x 750	120	10
ZXC 32312	200 x 750	150	10
ZXC 32313	200 x 750	180	10
ZXC 32438	200 x 750	220	10
ZXC 32315	200 x 750	240	10
ZXC 32436	200 x 750	320	10
ZXC 32437	200 x 750	400	10

For ZX - different sizes of rolls and endless belts available upon request. Maximum jumboroll height: 1400mm.

Minimum order quantity: on asking.

Flexible sanding sponge block

Retina

Flexible sanding sponge block coated on 4 sides



Backing	sponge
Grain	silicon carbide
Bonding agent	resin
Coating	close



Applications

wood	•
plastic	•
paint / varnish / filler	•
glass / stone	•
metal	•
NF metals	•
steel	•
stainless steel	•


Available grits

16	150 •	800
24	180 •	1000
30	220 •	1200
36	240 •	1500
40 •	280	2000
50	320	2500
60 •	360	3000
80 •	400	4000
100 •	500	5000
120 •	600	

Catalog number	Dimension (mm) width / lenght / height	Grit	Package (pcs)	
RET 00175	100 x 70 x 25	40	250	NEW
RET 14104	100 x 70 x 25	60	250	
RET 14105	100 x 70 x 25	80	250	
RET 14106	100 x 70 x 25	100	250	
RET 14107	100 x 70 x 25	120	250	
RET 14108	100 x 70 x 25	150	250	
RET 14109	100 x 70 x 25	180	250	
RET 14110	100 x 70 x 25	220	250	
RET 24315	100 x 70 x 25	240	250	NEW

Retina

Angle flexible sanding sponge block coated on 4 sides



Backing	sponge
Grain	silicon carbide
Bonding agent	resin
Coating	close



Applications

wood	•
plastic	•
paint / varnish / filler	•
glass / stone	•
metal	•
NF metals	•
steel	•
stainless steel	•

Available grits

16	150 •	800
24	180 •	1000
30	220 •	1200
36	240 •	1500
40 •	280	2000
50	320	2500
60 •	360	3000
80 •	400	4000
100 •	500	5000
120 •	600	

Catalog number	Dimension (mm) width / lenght / height	Grit	Package (pcs)	
RET 00179	125 x 90 x 65 x 25	40	250	
RET 00180	125 x 90 x 65 x 25	60	250	
RET 00181	125 x 90 x 65 x 25	80	250	
RET 00182	125 x 90 x 65 x 25	100	250	
RET 00183	125 x 90 x 65 x 25	120	250	
RET 00184	125 x 90 x 65 x 25	150	250	
RET 00185	125 x 90 x 65 x 25	180	250	
RET 00186	125 x 90 x 65 x 25	220	250	
RET 00187	125 x 90 x 65 x 25	240	250	

Retina

Flexible sanding sponge block coated on 2 sides



Backing	sponge
Grain	silicon carbide
Bonding agent	resin
Coating	close



Applications

wood	•
plastic	•
paint / varnish / filler	•
glass / stone	•
metal	•
NF metals	•
steel	•
stainless steel	•

Available grits

16	150 •	800
24	180 •	1000
30	220 •	1200
36	240	1500
40	280	2000
50	320	2500
60 •	360	3000
80 •	400	4000
100 •	500	5000
120 •	600	


Catalog number	Dimension (mm) width / length / height	Grit	Package (pcs)
RET 00153	120 x 95 x 10	60	250
RET 00154	120 x 95 x 10	80	250
RET 00155	120 x 95 x 10	100	250
RET 00156	120 x 95 x 10	120	250
RET 00157	120 x 95 x 10	150	250
RET 00158	120 x 95 x 10	180	250
RET 00168	120 x 95 x 10	220	250



Fibrat A

Abrasive fiber discs

Backing	fiber 0,8mm
Grain	aluminium oxide
Bonding agent	resin
Coating	close



Maximum operating
speed 80 m/s

Applications

metal	•
NF metal	•
steel	•
stainless steel	•
wood	•
plastic	•

Available grits

16 •	150	800
24 •	180	1000
30 •	220	1200
36 •	240	1500
40 •	280	2000
50	320	2500
60 •	360	3000
80 •	400	4000
100 •	500	5000
120 •	600	

Catalog number	Dimension (mm) <i>diameter / hole</i>	Grit	Package (pcs)	Maximum RPM
FIA 13412	115 x 22.2	16	25	13.300
FIA 13413	115 x 22.2	24	25	13.300
FIA 13414	115 x 22.2	36	25	13.300
FIA 13415	115 x 22.2	40	25	13.300
FIA 13417	115 x 22.2	60	25	13.300
FIA 13418	115 x 22.2	80	25	13.300
FIA 13419	115 x 22.2	100	25	13.300
FIA 13420	115 x 22.2	120	25	13.300
FIA 13421	125 x 22.2	16	25	12.200
FIA 13422	125 x 22.2	24	25	12.200
FIA 13423	125 x 22.2	36	25	12.200
FIA 13424	125 x 22.2	40	25	12.200
FIA 13426	125 x 22.2	60	25	12.200
FIA 13427	125 x 22.2	80	25	12.200
FIA 13428	125 x 22.2	100	25	12.200
FIA 13429	125 x 22.2	120	25	12.200
FIA 13430	178 x 22.2	16	25	8.500
FIA 13431	178 x 22.2	24	25	8.500
FIA 13432	178 x 22.2	36	25	8.500
FIA 13433	178 x 22.2	40	25	8.500
FIA 13435	178 x 22.2	60	25	8.500
FIA 13436	178 x 22.2	80	25	8.500
FIA 13437	178 x 22.2	100	25	8.500
FIA 13438	178 x 22.2	120	25	8.500

Vellro

Abrasive non-woven rolls



Bonding agent resin




Applications

wood	•
plastic	•
paint / varnish / filler	•
glass / stone	•
metal	•
NF metal	•
steel	•
stainless steel	•

Available grits

16	150	800
24	180 •	1000 •
30	220	1200
36	240	1500
40	280	2000
50	320 •	2500
60	360	3000
80 •	400	4000
100	500	5000
120 •	600 •	

Catalog number	Dimension (mm) width	Grit	Grain	Package (meters)
VEL 00021	150	Coarse - 80	aluminium oxide	10
VEL 00040	150	Medium - 120	aluminium oxide	10
VEL 00022	150	Fine - 180	aluminium oxide	10
VEL 00041	150	Very Fine - 320	aluminium oxide	10
VEL 00042	150	Super Fine - 600	silicon carbide	10
VEL 00023	150	Ultra Fine - 1000	silicon carbide	10



Vellro

Abrasive non-woven sheets

Bonding agent resin



Applications

wood	•
plastic	•
paint / varnish / filler	•
glass / stone	•
metal	•
NF metal	•
steel	•
stainless steel	•

Available grits


16	150	800
24	180 •	1000 •
30	220	1200
36	240	1500
40	280	2000
50	320 •	2500
60	360	3000
80 •	400	4000
100	500	5000
120 •	600 •	

Catalog number	Dimension (mm) width / lenght	Grit	Grain	Package (pcs)
VEL 00009	150 x 200	Coarse - 80	aluminium oxide	10
VEL 00010	150 x 200	Medium - 120	aluminium oxide	10
VEL 00011	150 x 200	Fine - 180	aluminium oxide	10
VEL 00012	150 x 200	Very Fine - 320	aluminium oxide	10
VEL 00003	150 x 200	Super Fine - 600	silicon carbide	10
VEL 00013	150 x 200	Ultra Fine - 1000	silicon carbide	10



Nylon

Special abrasive non-woven discs - clean strips



Applications

plastic	•
paint / varnish / filler	•
glass / stone	•
metal	•
NF metal	•
steel	•
stainless steel	•

Catalog number	Dimension (mm) <i>diameter / hole</i>	Package (pcs)	Maximum operating speed	Maximum RPM
NYL 00010	125 x 22.2	1	80 m/s	12.200



Nylon

Special abrasive non-woven wheels - clean strips



Applications


plastic	•
paint / varnish / filler	•
glass / stone	•
metal	•
NF metal	•
steel	•
stainless steel	•

Catalog number	Dimension (mm) <i>diameter / thickness / hole</i>	Package (pcs)	Maximum operating speed	Maximum RPM
NYL 00002	125 x 14 x 14	1	40 m/s	6.100
NYL 00001	150 x 14 x 14	1	40 m/s	5.100



Nylon

Fixing spindle - adapter




Catalog number	Package (pcs)
AKA 27481	1



Korkat

Abrasive flap discs

Grain	aluminium oxide
Bonding agent	resin



Maximum operating speed 80 m/s



N41a / T27 - flat disc



N41b / T29 - depressed disc

Applications


metal	•
NF metals	•
steel	•
stainless steel	•
wood	•

Available grits

16	150	800
24 •	180	1000
30	220	1200
36 •	240	1500
40 •	280	2000
50	320	2500
60 •	360	3000
80 •	400	4000
100 •	500	5000
120 •	600	

Catalog number	Type	Dimension (mm) <i>diameter / hole</i>	Grit	Package (pcs)	Maximum RPM
KOR 16232	N41a / T27	115 x 22.2	24	10	13.300
KOR 13733	N41a / T27	115 x 22.2	36	10	13.300
KOR 13734	N41a / T27	115 x 22.2	40	10	13.300
KOR 13735	N41a / T27	115 x 22.2	60	10	13.300
KOR 13736	N41a / T27	115 x 22.2	80	10	13.300
KOR 13737	N41a / T27	115 x 22.2	100	10	13.300
KOR 13738	N41a / T27	115 x 22.2	120	10	13.300
KOR 16233	N41a / T27	125 x 22.2	24	10	12.200
KOR 13739	N41a / T27	125 x 22.2	36	10	12.200
KOR 13740	N41a / T27	125 x 22.2	40	10	12.200
KOR 13741	N41a / T27	125 x 22.2	60	10	12.200
KOR 13742	N41a / T27	125 x 22.2	80	10	12.200
KOR 13743	N41a / T27	125 x 22.2	100	10	12.200
KOR 13744	N41a / T27	125 x 22.2	120	10	12.200
KOR 16234	N41a / T27	180 x 22.2	24	10	8.500
KOR 13745	N41a / T27	180 x 22.2	36	10	8.500
KOR 13746	N41a / T27	180 x 22.2	40	10	8.500
KOR 13747	N41a / T27	180 x 22.2	60	10	8.500
KOR 13748	N41a / T27	180 x 22.2	80	10	8.500
KOR 13749	N41a / T27	180 x 22.2	100	10	8.500
KOR 13750	N41a / T27	180 x 22.2	120	10	8.500
KOR 16235	N41b / T29	115 x 22.2	24	10	13.300
KOR 13751	N41b / T29	115 x 22.2	36	10	13.300
KOR 13752	N41b / T29	115 x 22.2	40	10	13.300
KOR 13753	N41b / T29	115 x 22.2	60	10	13.300
KOR 13754	N41b / T29	115 x 22.2	80	10	13.300
KOR 13755	N41b / T29	115 x 22.2	100	10	13.300
KOR 13756	N41b / T29	115 x 22.2	120	10	13.300
KOR 16236	N41b / T29	125 x 22.2	24	10	12.200
KOR 13757	N41b / T29	125 x 22.2	36	10	12.200
KOR 13758	N41b / T29	125 x 22.2	40	10	12.200
KOR 13759	N41b / T29	125 x 22.2	60	10	12.200
KOR 13760	N41b / T29	125 x 22.2	80	10	12.200
KOR 13761	N41b / T29	125 x 22.2	100	10	12.200
KOR 13762	N41b / T29	125 x 22.2	120	10	12.200
KOR 16237	N41b / T29	180 x 22.2	24	10	8.500
KOR 13763	N41b / T29	180 x 22.2	36	10	8.500
KOR 13764	N41b / T29	180 x 22.2	40	10	8.500
KOR 13765	N41b / T29	180 x 22.2	60	10	8.500
KOR 13766	N41b / T29	180 x 22.2	80	10	8.500
KOR 13767	N41b / T29	180 x 22.2	100	10	8.500
KOR 13768	N41b / T29	180 x 22.2	120	10	8.500


Abrasive flap discs



Cirkat

Abrasive flap discs

Grain	alumina zirconia
Bonding agent	resin



Maximum operating
speed 80 m/s



N41a / T27 - flat disc



N41b / T29 - depressed disc

Applications

stainless steel	•
steel	•
metal	•
wood	•

Available grits

16	150	800
24	180	1000
30	220	1200
36 •	240	1500
40 •	280	2000
50	320	2500
60 •	360	3000
80 •	400	4000
100 •	500	5000
120 •	600	


Catalog number	Type	Dimension (mm) <i>diameter / hole</i>	Grit	Package (pcs)	Maximum RPM
CIR 12880	N41a / T27	115 x 22.2	36	10	13.300
CIR 12881	N41a / T27	115 x 22.2	40	10	13.300
CIR 12882	N41a / T27	115 x 22.2	60	10	13.300
CIR 12883	N41a / T27	115 x 22.2	80	10	13.300
CIR 12884	N41a / T27	115 x 22.2	100	10	13.300
CIR 12885	N41a / T27	115 x 22.2	120	10	13.300
CIR 12886	N41a / T27	125 x 22.2	36	10	12.200
CIR 12887	N41a / T27	125 x 22.2	40	10	12.200
CIR 12888	N41a / T27	125 x 22.2	60	10	12.200
CIR 12889	N41a / T27	125 x 22.2	80	10	12.200
CIR 12890	N41a / T27	125 x 22.2	100	10	12.200
CIR 12891	N41a / T27	125 x 22.2	120	10	12.200
CIR 12892	N41a / T27	180 x 22.2	36	10	8.500
CIR 12893	N41a / T27	180 x 22.2	40	10	8.500
CIR 12894	N41a / T27	180 x 22.2	60	10	8.500
CIR 12895	N41a / T27	180 x 22.2	80	10	8.500
CIR 12896	N41a / T27	180 x 22.2	100	10	8.500
CIR 12897	N41a / T27	180 x 22.2	120	10	8.500
CIR 12898	N41b / T29	115 x 22.2	36	10	13.300
CIR 12899	N41b / T29	115 x 22.2	40	10	13.300
CIR 12900	N41b / T29	115 x 22.2	60	10	13.300
CIR 12901	N41b / T29	115 x 22.2	80	10	13.300
CIR 12902	N41b / T29	115 x 22.2	100	10	13.300
CIR 12903	N41b / T29	115 x 22.2	120	10	13.300
CIR 12904	N41b / T29	125 x 22.2	36	10	12.200
CIR 12905	N41b / T29	125 x 22.2	40	10	12.200
CIR 12906	N41b / T29	125 x 22.2	60	10	12.200
CIR 12907	N41b / T29	125 x 22.2	80	10	12.200
CIR 12908	N41b / T29	125 x 22.2	100	10	12.200
CIR 12909	N41b / T29	125 x 22.2	120	10	12.200
CIR 12910	N41b / T29	180 x 22.2	36	10	8.500
CIR 12911	N41b / T29	180 x 22.2	40	10	8.500
CIR 12912	N41b / T29	180 x 22.2	60	10	8.500
CIR 12913	N41b / T29	180 x 22.2	80	10	8.500
CIR 12914	N41b / T29	180 x 22.2	100	10	8.500
CIR 12915	N41b / T29	180 x 22.2	120	10	8.500



Spinner A

Abrasive flap wheels with shank

Grain	aluminium oxide
Bonding agent	resin
Coating	semi - open



Applications

metal	•
NF metal	•
steel	•
stainless steel	•
wood	•
plastic	•

Available grits

16	150	800
24	180	1000
30	220	1200
36	240	1500
40 •	280	2000
50	320	2500
60 •	360	3000
80 •	400	4000
100 •	500	5000
120 •	600	

Catalog number	Dimension (mm) <i>diameter / height / shank</i>	Grit	Package (pcs)	Maximum operating speed
SPA 14161	40 x 20 x 6	40	10	19.000
SPA 14162	40 x 20 x 6	60	10	19.000
SPA 14163	40 x 20 x 6	80	10	19.000
SPA 14164	40 x 20 x 6	100	10	19.000
SPA 14165	40 x 20 x 6	120	10	19.000
SPA 14171	50 x 30 x 6	40	10	15.200
SPA 14172	50 x 30 x 6	60	10	15.200
SPA 14173	50 x 30 x 6	80	10	15.200
SPA 14174	50 x 30 x 6	100	10	15.200
SPA 14175	50 x 30 x 6	120	10	15.200
SPA 14181	60 x 30 x 6	40	10	12.700
SPA 14182	60 x 30 x 6	60	10	12.700
SPA 14183	60 x 30 x 6	80	10	12.700
SPA 14184	60 x 30 x 6	100	10	12.700
SPA 14185	60 x 30 x 6	120	10	12.700
SPA 14191	80 x 30 x 6	40	10	9.500
SPA 14192	80 x 30 x 6	60	10	9.500
SPA 14193	80 x 30 x 6	80	10	9.500
SPA 14194	80 x 30 x 6	100	10	9.500
SPA 14195	80 x 30 x 6	120	10	9.500
SPA 14196	80 x 40 x 6	40	10	9.500
SPA 14197	80 x 40 x 6	60	10	9.500
SPA 14198	80 x 40 x 6	80	10	9.500
SPA 14199	80 x 40 x 6	100	10	9.500
SPA 14200	80 x 40 x 6	120	10	9.500



Semtul

Semi-flexible abrasive discs

Backing	fiber disc
Grain	silicon carbide
Bonding agent	resin



Maximum operating
speed 80 m/s

Recommended use
grinding backing pad 125mm
(catalog number AKA 12592)

Applications

plastic	•
glass / stone	•

Available grits

16 •	150	800
24 •	180	1000
30	220	1200
36 •	240	1500
40 •	280	2000
50	320	2500
60 •	360	3000
80 •	400	4000
100 •	500	5000
120 •	600	

Catalog number	Dimension (mm) <i>diameter / hole</i>	Grit	Package (pcs)	Maximum RPM
SEM 16171	125 x 22.2	16	10	12.200
SEM 14147	125 x 22.2	24	10	12.200
SEM 14148	125 x 22.2	36	10	12.200
SEM 14149	125 x 22.2	40	10	12.200
SEM 14150	125 x 22.2	60	10	12.200
SEM 14151	125 x 22.2	80	10	12.200
SEM 14152	125 x 22.2	100	10	12.200
SEM 14153	125 x 22.2	120	10	12.200



Piramid Continuous

Diamond cutting blades

Wet cutting

Applications

building materials	•
tile	•
marble	•
ceramic	•

Maximum operating speed 80 m/s

Catalog number	Type	Dimension (mm) diameter / thickness / height of diamond / hole	Package (pcs)	Maximum RPM
PIR 16870	Continuous	115 x 2.0 x 6 x 22.2	1	13.300
PIR 16871	Continuous	125 x 2.0 x 6 x 22.2	1	12.200
PIR 16872	Continuous	180 x 2.4 x 6 x 22.2	1	8.500
PIR 16873	Continuous	230 x 2.6 x 6 x 22.2	1	6.600




Piramid Segment

Diamond cutting blades

Dry and wet cutting

Applications

building materials	•
clinker	•
marble	•
ceramic	•
bricks	•
concrete	•
granite	•
roof tiles	•



Maximum operating speed 80 m/s

Catalog number	Type	Dimension (mm) diameter / thickness / height of diamond / hole	Package (pcs)	Maximum RPM
PIR 16862	Segment	115 x 2.0 x 7 x 22.2	1	13.300
PIR 16863	Segment	125 x 2.0 x 7 x 22.2	1	12.200
PIR 16864	Segment	180 x 2.4 x 7 x 22.2	1	8.500
PIR 16865	Segment	230 x 2.6 x 7 x 22.2	1	6.600



Piramid Turbo

Diamond cutting blades

Dry and wet cutting

Applications

building materials	•
clinker	•
milled rock tiles	•
ceramic	•
bricks	•
concrete	•
granite	•



Maximum operating speed 80 m/s

Catalog number	Type	Dimension (mm) diameter / thickness / height of diamond / hole	Package (pcs)	Maximum RPM
PIR 16866	Turbo	115 x 2.4 x 8 x 22.2	1	13.300
PIR 16867	Turbo	125 x 2.4 x 8 x 22.2	1	12.200
PIR 16868	Turbo	180 x 2.8 x 8 x 22.2	1	8.500
PIR 16869	Turbo	230 x 3.2 x 8 x 22.2	1	6.600



Piramid Turbo Wave

Diamond cutting blades

Dry and wet cutting



Maximum operating
speed 80 m/s

Applications

building materials	•
reinforced concrete	•
clinker	•
milled rock tiles	•
ceramic	•
bricks	•
concrete	•
granite	•
marble	•

Catalog number	Type	Dimension (mm) diameter / thickness / height of diamond / hole	Package (pcs)	Maximum RPM
PIR 16951	Turbo Wave	115 x 2.4 x 8 x 22.2	1	13.300
PIR 16952	Turbo Wave	125 x 2.4 x 8 x 22.2	1	12.200
PIR 16953	Turbo Wave	180 x 2.8 x 8 x 22.2	1	8.500
PIR 16954	Turbo Wave	230 x 3.2 x 8 x 22.2	1	6.600



Diamant Continuous

Diamond cutting blades

Wet cutting

Maximum operating
speed 80 m/s

Applications

building materials	•
tile	•
marble	•
ceramic	•

Catalog number	Type	Dimension (mm) diameter / thickness / height of diamond / hole	Package (pcs)	Maximum RPM
DIA 12981	Continuous	115 x 2.0 x 6 x 22.2	1	13.300
DIA 12982	Continuous	125 x 2.0 x 6 x 22.2	1	12.200
DIA 12983	Continuous	180 x 2.4 x 6 x 22.2	1	8.500
DIA 12984	Continuous	230 x 2.6 x 6 x 22.2	1	6.600



Diamant Segment

Diamond cutting blades

Dry and wet cutting



Maximum operating
speed 80 m/s

Applications

building materials	•
clinker	•
marble	•
ceramic	•
bricks	•
concrete	•
granite	•
roof tiles	•

Catalog number	Type	Dimension (mm) diameter / thickness / height of diamond / hole	Package (pcs)	Maximum RPM
DIA 12969	Segment	115 x 2.0 x 7 x 22.2	1	13.300
DIA 12970	Segment	125 x 2.0 x 7 x 22.2	1	12.200
DIA 12971	Segment	180 x 2.4 x 7 x 22.2	1	8.500
DIA 12972	Segment	230 x 2.6 x 7 x 22.2	1	6.600



Diamant Turbo

Diamond cutting blades

Dry and wet cutting



Maximum operating speed 80 m/s

Applications

building materials	•
clinker	•
milled rock tiles	•
ceramic	•
bricks	•
concrete	•
granite	•

Catalog number	Type	Dimension (mm) diameter / thickness / height of diamond / hole	Package (pcs)	Maximum RPM
DIA 12973	Turbo	115 x 2.4 x 8 x 22.2	1	13.300
DIA 12974	Turbo	125 x 2.4 x 8 x 22.2	1	12.200
DIA 12975	Turbo	180 x 2.8 x 8 x 22.2	1	8.500
DIA 12976	Turbo	230 x 3.2 x 8 x 22.2	1	6.600



Diamant Turbo Wave

Diamond cutting blades

Dry and wet cutting



Maximum operating speed 80 m/s

Applications

building materials	•
reinforced concrete	•
clinker	•
milled rock tiles	•
ceramic	•
bricks	•
concrete	•
granite	•
marble	•

Catalog number	Type	Dimension (mm) diameter / thickness / height of diamond / hole	Package (pcs)	Maximum RPM
DIA 12977	Turbo Wave	115 x 2.4 x 8 x 22.2	1	13.300
DIA 12978	Turbo Wave	125 x 2.4 x 8 x 22.2	1	12.200
DIA 12979	Turbo Wave	180 x 2.8 x 8 x 22.2	1	8.500
DIA 12980	Turbo Wave	230 x 3.2 x 8 x 22.2	1	6.600

Grinding cup wheels



Stroker A

Grinding cup wheels



Cup conical wheel T11



Maximum operating speed 50 m/s

Applications

metal	•
NF metals	•
steel	•
stainless steel	•

Available grits

16 •	150	800
24 •	180	1000
30 •	220	1200
36 •	240	1500
40	280	2000
50	320	2500
60 •	360	3000
80 •	400	4000
100	500	5000
120 •	600	

Catalog number	Type	Dimension (mm) <i>diameter / height / fixing</i>	Characteristic <i>type of grain / grit / hardness</i>	Package (pcs)	Maximum RPM
STA 14253	T11	100 x 50 x M14	A 16 R	2	8.500
STA 14254	T11	100 x 50 x M14	A 24 R	2	8.500
STA 14255	T11	100 x 50 x M14	A 30 R	2	8.500
STA 14256	T11	100 x 50 x M14	A 36 R	2	8.500
STA 14257	T11	100 x 50 x M14	A 60 R	2	8.500
STA 16173	T11	100 x 50 x M14	A 80 R	2	8.500
STA 14258	T11	100 x 50 x M14	A 120 R	2	8.500



Stroker C

Grinding cup wheels



Cup conical wheel T11



Maximum operating speed 50 m/s

Applications

stone / concrete	•
castings	•

Available grits

16 •	150	800
24 •	180	1000
30 •	220	1200
36 •	240	1500
40	280	2000
50	320	2500
60 •	360	3000
80 •	400	4000
100	500	5000
120 •	600	

Catalog number	Type	Dimension (mm) <i>diameter / height / fixing</i>	Characteristic <i>type of grain / grit / hardness</i>	Package (pcs)	Maximum RPM
STC 14259	T11	100 x 50 x M14	C 16 R	2	8.500
STC 14260	T11	100 x 50 x M14	C 24 R	2	8.500
STC 14261	T11	100 x 50 x M14	C 30 R	2	8.500
STC 14262	T11	100 x 50 x M14	C 36 R	2	8.500
STC 14263	T11	100 x 50 x M14	C 60 R	2	8.500
STC 16174	T11	100 x 50 x M14	C 80 R	2	8.500
STC 14264	T11	100 x 50 x M14	C 120 R	2	8.500

GERMAFLEX LINE




- Product brand GermaFlex
- Product group GermaFlex
- Application
- Safety standards
- Maximum operating speed
- Colour code for maximum operating speed
- Maximum RPM (running per meter)
- Safety pictograms
- Operating restriction
- Barcode - EAN - 13
- Type
- Dimension (diameter / thickness / hole)
- Characteristic (type of grain / grit / hardness / bonding agent)
- Catalog number

PREMIUM LINE



- Product group Premium
- Barcode - EAN - 13
- Safety standards
- Operating restriction
- Characteristic (type of grain / grit / hardness / bonding agent)
- Maximum operating speed
- Maximum RPM (running per meter)
- Colour code for maximum operating speed
- Application
- Dimension (diameter / thickness / hole)
- Type
- Safety pictograms
- Product brand GermaFlex
- Catalog number

Safety pictograms



Use safety muffs



Use dust mask



Use safety gloves



Use safety goggles



Observe safety rules



Do not use for side grinding

Cutting and grinding discs for metal and stone


**Germa
Flex**

GERMAFLEX LINE




Cutting discs for METAL

Flat for cutting type T41




Depressed for cutting type T42




Bonding agent - resin BF

Maximum operating speed 80 m/s



Catalog number	Type	Dimension (mm) <i>diameter / thickness / hole</i>	Characteristic <i>type of grain / grit / hardness / bonding agent</i>	Package (pcs)	Maximum RPM
GFW 13439	T41	115 x 2.5 x 22.2	A 24 R BF	25	13.300
GFW 13440	T41	115 x 3.0 x 22.2	A 24 R BF	25	13.300
GFW 13441	T41	125 x 2.5 x 22.2	A 24 R BF	25	12.200
GFW 13442	T41	125 x 3.0 x 22.2	A 24 R BF	25	12.200
GFW 13443	T41	150 x 2.5 x 22.2	A 24 R BF	25	10.200
GFW 13444	T41	150 x 3.0 x 22.2	A 24 R BF	25	10.200
GFW 13445	T41	180 x 2.5 x 22.2	A 24 R BF	25	8.500
GFW 13446	T41	180 x 3.0 x 22.2	A 24 R BF	25	8.500
GFW 13447	T41	230 x 2.5 x 22.2	A 24 R BF	25	6.600
GFW 13448	T41	230 x 3.0 x 22.2	A 24 R BF	25	6.600
GFW 13452	T42	115 x 2.5 x 22.2	A 24 R BF	25	13.300
GFW 13453	T42	115 x 3.0 x 22.2	A 24 R BF	25	13.300
GFW 13454	T42	125 x 2.5 x 22.2	A 24 R BF	25	12.200
GFW 13455	T42	125 x 3.0 x 22.2	A 24 R BF	25	12.200
GFW 13456	T42	150 x 2.5 x 22.2	A 24 R BF	25	10.200
GFW 13457	T42	150 x 3.0 x 22.2	A 24 R BF	25	10.200
GFW 13458	T42	180 x 2.5 x 22.2	A 24 R BF	25	8.500
GFW 13459	T42	180 x 3.0 x 22.2	A 24 R BF	25	8.500
GFW 13460	T42	230 x 2.5 x 22.2	A 24 R BF	25	6.600
GFW 13461	T42	230 x 3.0 x 22.2	A 24 R BF	25	6.600




Cutting discs for METAL

Flat for cutting type T41



Bonding agent - resin BF

Maximum operating speed 80 m/s




Catalog number	Type	Dimension (mm) <i>diameter / thickness / hole</i>	Characteristic <i>type of grain / grit / hardness / bonding agent</i>	Package (pcs)	Maximum RPM
GFW 18121	T41	300 x 3.2 x 25.4	A 24 R BF	10	5.100
GFW 13449	T41	300 x 3.2 x 32	A 24 R BF	10	5.100
GFW 16972	T41	350 x 3.5 x 25.4	A 24 R BF	10	4.370
GFW 13450	T41	350 x 3.5 x 32	A 24 R BF	10	4.370
GFW 18122	T41	400 x 4.0 x 25.4	A 24 R BF	10	3.800
GFW 13451	T41	400 x 4.0 x 32	A 24 R BF	10	3.800

GERMAFLEX LINE




Cutting and grinding discs for STAINLESS STEEL INOX

Flat for cutting type T41




Depressed for cutting type T27



Bonding agent - resin BF

Maximum operating speed 80 m/s




Catalog number	Type	Dimension (mm) diameter / thickness / hole	Characteristic type of grain / grit / hardness / bonding agent	Package (pcs)	Maximum RPM
GFW 13484	T41	115 x 1.0 x 22.2	A 60 Q Inox BF	50	13.300
GFW 13477	T41	115 x 1.6 x 22.2	A 46 Q Inox BF	50	13.300
GFW 13469	T41	115 x 2.0 x 22.2	A 36 Q Inox BF	25	13.300
GFW 13485	T41	125 x 1.0 x 22.2	A 60 Q Inox BF	50	12.200
GFW 13478	T41	125 x 1.6 x 22.2	A 46 Q Inox BF	50	12.200
GFW 13470	T41	125 x 2.0 x 22.2	A 36 Q Inox BF	25	12.200
GFW 13479	T41	150 x 1.6 x 22.2	A 46 Q Inox BF	25	10.200
GFW 13480	T41	180 x 1.6 x 22.2	A 46 Q Inox BF	25	8.500
GFW 13481	T41	230 x 1.9 x 22.2	A 46 Q Inox BF	25	6.600
GFW 29716	T41	300 x 3.2 x 32	A 30 S Inox BF	10	5.100
GFW 29718	T41	350 x 3.5 x 32	A 30 S Inox BF	10	4.370
GFW 29717	T41	400 x 4.0 x 32	A 30 S Inox BF	10	3.800
GFW 15858	T27	125 x 6.0 x 22.2	A 24 S Inox BF	10	12.200

NEW
NEW
NEW
NEW



Cutting discs for ALUMINUM

Flat for cutting type T41



Bonding agent - resin BF

Maximum operating speed 80 m/s



Catalog number	Type	Dimension (mm) diameter / thickness / hole	Characteristic type of grain / grit / hardness / bonding agent	Package (pcs)	Maximum RPM
GFW 13473	T41	115 x 1.6 x 22.2	A 46 N ALU BF	50	13.300
GFW 13474	T41	125 x 1.6 x 22.2	A 46 N ALU BF	50	12.200
GFW 13475	T41	180 x 1.6 x 22.2	A 46 N ALU BF	25	8.500
GFW 13476	T41	230 x 1.9 x 22.2	A 46 N ALU BF	25	6.600

Cutting and grinding discs for metal and stone



**Germa
Flex**

GERMAFLEX LINE

Grinding discs for METAL



Depressed for grinding type T27



Bonding agent - resin BF



Maximum operating speed 80 m/s

Catalog number	Type	Dimension (mm) <i>diameter / thickness / hole</i>	Characteristic <i>type of grain / grit / hardness / bonding agent</i>	Package (pcs)	Maximum RPM
GFW 13462	T27	115 x 6.0 x 22.2	A 24 R BF	10	13.300
GFW 13463	T27	125 x 6.0 x 22.2	A 24 R BF	10	12.200
GFW 13464	T27	150 x 6.0 x 22.2	A 24 R BF	10	10.200
GFW 13465	T27	180 x 6.0 x 22.2	A 24 R BF	10	8.500
GFW 13466	T27	180 x 8.0 x 22.2	A 24 R BF	10	8.500
GFW 13467	T27	230 x 6.0 x 22.2	A 24 R BF	10	6.600
GFW 13468	T27	230 x 8.0 x 22.2	A 24 R BF	10	6.600


Cutting discs for STONE



Flat for cutting type T41



Depressed for cutting type T42



Bonding agent - resin BF

Maximum operating speed 80 m/s


Catalog number	Type	Dimension (mm) <i>diameter / thickness / hole</i>	Characteristic <i>type of grain / grit / hardness / bonding agent</i>	Package (pcs)	Maximum RPM
GFW 13486	T41	115 x 2.5 x 22.2	C 24 R BF	25	13.300
GFW 13487	T41	115 x 3.0 x 22.2	C 24 R BF	25	13.300
GFW 13488	T41	125 x 2.5 x 22.2	C 24 R BF	25	12.200
GFW 13489	T41	125 x 3.0 x 22.2	C 24 R BF	25	12.200
GFW 13490	T41	150 x 2.5 x 22.2	C 24 R BF	25	10.200
GFW 13491	T41	150 x 3.0 x 22.2	C 24 R BF	25	10.200
GFW 13492	T41	180 x 2.5 x 22.2	C 24 R BF	25	8.500
GFW 13493	T41	180 x 3.0 x 22.2	C 24 R BF	25	8.500
GFW 13494	T41	230 x 2.5 x 22.2	C 24 R BF	25	6.600
GFW 13495	T41	230 x 3.0 x 22.2	C 24 R BF	25	6.600
GFW 13499	T42	115 x 2.5 x 22.2	C 24 R BF	25	13.300
GFW 13500	T42	115 x 3.0 x 22.2	C 24 R BF	25	13.300
GFW 13501	T42	125 x 2.5 x 22.2	C 24 R BF	25	12.200
GFW 13502	T42	125 x 3.0 x 22.2	C 24 R BF	25	12.200
GFW 13503	T42	150 x 2.5 x 22.2	C 24 R BF	25	10.200
GFW 13504	T42	150 x 3.0 x 22.2	C 24 R BF	25	10.200
GFW 13505	T42	180 x 2.5 x 22.2	C 24 R BF	25	8.500
GFW 13506	T42	180 x 3.0 x 22.2	C 24 R BF	25	8.500
GFW 13507	T42	230 x 2.5 x 22.2	C 24 R BF	25	6.600
GFW 13508	T42	230 x 3.0 x 22.2	C 24 R BF	25	6.600

PREMIUM LINE




Cutting discs for METAL

Flat for cutting type T41




Depressed for cutting type T42



Bonding agent - resin BF

Maximum operating speed 80 m/s




Catalog number	Type	Dimension (mm) <i>diameter / thickness / hole</i>	Characteristic <i>type of grain / grit / hardness / bonding agent</i>	Package (pcs)	Maximum RPM
PRW 13960	T41	115 x 1.0 x 22.2	A 60 Q BF	50	13.300
PRW 13955	T41	115 x 1.6 x 22.2	A 46 Q BF	50	13.300
PRW 13925	T41	115 x 2.5 x 22.2	A 24 R BF	25	13.300
PRW 13926	T41	115 x 3.0 x 22.2	A 24 R BF	25	13.300
PRW 13961	T41	125 x 1.0 x 22.2	A 60 Q BF	50	12.200
PRW 13956	T41	125 x 1.6 x 22.2	A 46 Q BF	50	12.200
PRW 13927	T41	125 x 2.5 x 22.2	A 24 R BF	25	12.200
PRW 13928	T41	125 x 3.0 x 22.2	A 24 R BF	25	12.200
PRW 13957	T41	150 x 1.6 x 22.2	A 46 Q BF	25	10.200
PRW 13929	T41	150 x 2.5 x 22.2	A 24 R BF	25	10.200
PRW 13930	T41	150 x 3.0 x 22.2	A 24 R BF	25	10.200
PRW 13958	T41	180 x 1.6 x 22.2	A 46 Q BF	25	8.500
PRW 13931	T41	180 x 2.5 x 22.2	A 24 R BF	25	8.500
PRW 13932	T41	180 x 3.0 x 22.2	A 24 R BF	25	8.500
PRW 13959	T41	230 x 1.9 x 22.2	A 46 Q BF	25	6.600
PRW 13933	T41	230 x 2.5 x 22.2	A 24 R BF	25	6.600
PRW 13934	T41	230 x 3.0 x 22.2	A 24 R BF	25	6.600
PRW 13938	T42	115 x 2.5 x 22.2	A 24 R BF	25	13.300
PRW 13939	T42	115 x 3.0 x 22.2	A 24 R BF	25	13.300
PRW 13940	T42	125 x 2.5 x 22.2	A 24 R BF	25	12.200
PRW 13941	T42	125 x 3.0 x 22.2	A 24 R BF	25	12.200
PRW 13942	T42	150 x 2.5 x 22.2	A 24 R BF	25	10.200
PRW 13943	T42	150 x 3.0 x 22.2	A 24 R BF	25	10.200
PRW 13944	T42	180 x 2.5 x 22.2	A 24 R BF	25	8.500
PRW 13945	T42	180 x 3.0 x 22.2	A 24 R BF	25	8.500
PRW 13946	T42	230 x 2.5 x 22.2	A 24 R BF	25	6.600
PRW 13947	T42	230 x 3.0 x 22.2	A 24 R BF	25	6.600

PREMIUM LINE

Cutting discs for METAL



Flat for cutting type T41



Bonding agent - resin BF

Maximum operating speed 80 m/s




Catalog number	Type	Dimension (mm) <i>diameter / thickness / hole</i>	Characteristic <i>type of grain / grit / hardness / bonding agent</i>	Package (pcs)	Maximum RPM
PRW 18119	T41	300 x 3.2 x 25.4	A 24 R BF	10	5.100
PRW 13935	T41	300 x 3.2 x 32	A 24 R BF	10	5.100
PRW 16971	T41	350 x 3.5 x 25.4	A 24 R BF	10	4.370
PRW 13936	T41	350 x 3.5 x 32	A 24 R BF	10	4.370
PRW 18120	T41	400 x 4.0 x 25.4	A 24 R BF	10	3.800
PRW 13937	T41	400 x 4.0 x 32	A 24 R BF	10	3.800

Grinding discs for METAL




Depressed for grinding type T27



Bonding agent - resin BF

Maximum operating speed 80 m/s




Catalog number	Type	Dimension (mm) <i>diameter / thickness / hole</i>	Characteristic <i>type of grain / grit / hardness / bonding agent</i>	Package (pcs)	Maximum RPM
PRW 13948	T27	115 x 6.0 x 22.2	A 24 R BF	10	13.300
PRW 13949	T27	125 x 6.0 x 22.2	A 24 R BF	10	12.200
PRW 13951	T27	180 x 6.0 x 22.2	A 24 R BF	10	8.500
PRW 13953	T27	230 x 6.0 x 22.2	A 24 R BF	10	6.600

PREMIUM LINE




Cutting discs for STONE

Flat for cutting type T41




Depressed for cutting type T42



Bonding agent - resin BF

Maximum operating speed 80 m/s




Catalog number	Type	Dimension (mm) <i>diameter / thickness / hole</i>	Characteristic <i>type of grain / grit / hardness / bonding agent</i>	Package (pcs)	Maximum RPM
PRW 13962	T41	115 x 2.5 x 22.2	C 24 R BF	25	13.300
PRW 13963	T41	115 x 3.0 x 22.2	C 24 R BF	25	13.300
PRW 13964	T41	125 x 2.5 x 22.2	C 24 R BF	25	12.200
PRW 13965	T41	125 x 3.0 x 22.2	C 24 R BF	25	12.200
PRW 13966	T41	150 x 2.5 x 22.2	C 24 R BF	25	10.200
PRW 13967	T41	150 x 3.0 x 22.2	C 24 R BF	25	10.200
PRW 13968	T41	180 x 2.5 x 22.2	C 24 R BF	25	8.500
PRW 13969	T41	180 x 3.0 x 22.2	C 24 R BF	25	8.500
PRW 13970	T41	230 x 2.5 x 22.2	C 24 R BF	25	6.600
PRW 13971	T41	230 x 3.0 x 22.2	C 24 R BF	25	6.600
PRW 13972	T42	115 x 2.5 x 22.2	C 24 R BF	25	13.300
PRW 13973	T42	115 x 3.0 x 22.2	C 24 R BF	25	13.300
PRW 13974	T42	125 x 2.5 x 22.2	C 24 R BF	25	12.200
PRW 13975	T42	125 x 3.0 x 22.2	C 24 R BF	25	12.200
PRW 13976	T42	150 x 2.5 x 22.2	C 24 R BF	25	10.200
PRW 13977	T42	150 x 3.0 x 22.2	C 24 R BF	25	10.200
PRW 13978	T42	180 x 2.5 x 22.2	C 24 R BF	25	8.500
PRW 13979	T42	180 x 3.0 x 22.2	C 24 R BF	25	8.500
PRW 13980	T42	230 x 2.5 x 22.2	C 24 R BF	25	6.600
PRW 13981	T42	230 x 3.0 x 22.2	C 24 R BF	25	6.600




Grinding discs for STONE

Depressed for grinding type T27



Bonding agent - resin BF


Maximum operating speed 80 m/s



Catalog number	Type	Dimension (mm) <i>diameter / thickness / hole</i>	Characteristic <i>type of grain / grit / hardness / bonding agent</i>	Package (pcs)	Maximum RPM
PRW 13982	T27	115 x 6.0 x 22.2	C 24 R BF	10	13.300
PRW 13983	T27	125 x 6.0 x 22.2	C 24 R BF	10	12.200

Alfa



Grinding backing pads for abrasive velcro discs



Catalog number	Dimension (mm) <i>diameter</i>	Fixing to electrotools	Package (pcs)	Maximum RPM
AKA 12588	125	shank	1	6.600

Beta

Grinding backing pads for abrasive velcro discs





Catalog number	Dimension (mm) <i>diameter</i>	Fixing to electrotools	Package (pcs)	Maximum RPM
AKA 12589	125	M14	1	12.200
AKA 12590	125	M14 / shank	1	12.200

Shank - for fixing grinding backing pad to drill machine

Sigma

Grinding backing pads for abrasive velcro discs




Catalog number	Dimension (mm) <i>diameter</i>	Fixing to electrotools	Package (pcs)	Maximum RPM
AKA 12596	125	M14	1	12.200
AKA 12597	125	M14 / shank	1	12.200
AKA 12598	150	M14	1	10.200
AKA 12599	150	M14 / shank	1	10.200
AKA 27477	180	M14	1	8.500

Shank - for fixing grinding backing pad to drill machine

Omega

Grinding backing pads for abrasive velcro discs



Catalog number	Dimension (mm) <i>diameter</i>	Fixing to electrotools	Package (pcs)	Maximum RPM
AKA 16060	125	M14	1	12.200
AKA 16064	125	M14 / shank	1	12.200

Shank - for fixing grinding backing pad to drill machine

Delta

Grinding backing pads for abrasive fibre discs



Catalog number	Dimension (mm) <i>diameter</i>	Fixing to electrotools	Package (pcs)	Maximum RPM
AKA 12591	115	M14	1	13.300
AKA 12592	125	M14	1	12.200
AKA 12593	180	M14	1	8.500

Gerfelt

Felt flap discs




Catalog number	Dimension (mm) <i>diameter / hole</i>	Package (pcs)	Maximum RPM
GFC 21040	125 x 22.2	5	6.100



Gerfelt

Velcro felt discs for grinding backing pads




Catalog number	Dimension (mm) <i>diameter</i>	Package (pcs)	Maximum RPM
GFC 32394	125	1	12.200
GFC 32395	150	1	10.200



Gerwool

Natural polishing wool pads for grinding backing pads



Catalog number	Dimension (mm) <i>diameter</i>	Package (pcs)	Maximum RPM
AKA 12606	125	1	12.200
AKA 21031	150	1	10.200



Gerwool

Syntetic polishing velcro wool pads for grinding backing pads




Catalog number	Dimension (mm) <i>diameter</i>	Package (pcs)	Maximum RPM
AKA 21034	115	1	13.300
AKA 12607	125	1	12.200
AKA 21035	150	1	10.200



Gersponge

Polishing velcro sponge for grinding backing pads

NEW




Catalog number	Dimension (mm) <i>diameter / thickness</i>	Package (pcs)	Maximum RPM
AKA 27485	125 x 30	1	5.500
AKA 27486	150 x 30	1	4.600



Gersponge

Polishing sponge - fixing M14

NEW




Catalog number	Dimension (mm) <i>diameter / thickness / fixing</i>	Colour	Package (pcs)	Maximum RPM
AKA 27487	150 x 50 x M14	orange	1	4.600
AKA 27488	150 x 50 x M14	white	1	4.600
AKA 27489	150 x 50 x M14	black	1	4.600





Retar

Velcro removeable pads for grinding backing pads



Catalog number	Dimension (mm) <i>diameter</i>	Holes	Package (pcs)	Maximum RPM
RER 15105	125	without holes	1	12.200
RER 15127	125	8	1	12.200
RER 15129	150	without holes	1	10.200
RER 15130	150	6	1	10.200
RER 15131	150	8 + 1	1	10.200

A large grid of small squares, typical of graph paper, covering the majority of the page. The grid is composed of thin grey lines on a white background.



Metal
INOX

Do cięcia stali
kwasoodpornej

80 m/s

max. 6600



USE SAFETY GUARD

Nie dozwolone szlifowanie czółami
Nicht zulässig für Schrupperarbeiten
Not to be used for grinding/fettling

T 41

230x1.9x22.2
A46QBF

Art.-No.
GFW 13481

Made for GP

100%

100%

100%

100%

100%

100%

100%